Index for Volume 89

AUTHOR AND SUBJECT INDEX. Pages indicating errata are in italic. "S" indicates June abstract supplement. Publication number P-1999-1101-01O.

Abad, J. A., S72
Abad, P., 380
Abad, Z. G., S1, S72
Abawi, G. S., S1, S54, S84
Abbas, H. K., S1
Abbasi, P. A., S2
Abies concolor, *Heterobasidion annosum*, genetic structure in California, 546
Abney, T. S., S104
Aboshosha, S. S., S52
Abouzid, A. M., 701
Abstracts, author index of APS annual and division meeting presentations, S109
Abt, J. J., S65
Acidovorax avenae
—selective medium, S68
—on watermelon: seed detection, S96; variation, S81
Acuna, I. A., S1
Adachi, K., S35
Adams, G. C., S2, S73
Adams, S. D., S32
Adaskaveg, J. E., 1056, S26
Adrian, M., 298
Agaricus spp., green mold, differential responses, S98
—*A. bisporus*: fruiting, sequence tag, S17; green mold, molecular analysis of strains, 308; Trichoderma green mold, steam pasteurization, S12
Agrobacterium spp.
—*A. radiobacter*: Ti plasmid acquisition, strain K84, 286; on tomato and cherry, biocontrol, 974
—*A. tumefaciens*: T-DNA transfer channel, gene requirement, S58; tumorigenesis, chromosomal gene, S58
—*A. vitis*: on *Petunia*, oncogene expression, S32; *vir* gene, nonpathogenic strain, S81
Agrostis palustris, dollar spot
—compost for biocontrol, S8
—management, zinc and manganese, S78
Aguilar-Rojas, O. I., S45
Ahmed, H. U., 64
Akashi, K., 1186
Akers, A., S40
Akimoto, T., S54
Alan, A. R., S2
Albiach-Marti, M. R., 336
Albugo spp.
—*A. candida*: on *Brassica juncea*, systemic resistance, incompatible isolate inoculation, 1226; host specialization, S27
—*A. occidentalis*, on spinach, fungicides, S94
Al-Dahmani, J. H., S2
Aldwinckle, H. S., S56
Alexander, N. J., S2
Alfalfa
—disease assessment, visual and remote, S105
—foliar pathogens: remote sensing, S30; visual disease assessment, S30
—phytoplasma, detection, S60
—vascular wilt pathogens, cultivar screening, S107
Alfonso, R. F., 64
Ali, S., S2
Allard, S., S58
Allen, R. D., S45
Allmaras, R. R., S37
Almond, anthracnose, epidemiology in California, 1056
Alptekin, Y., 840
Alternaria spp.: on citrus hybrids, in Florida, S59; on tangelo and lemon, host specificity, Florida, 851
—*A. eichhorniae*, growth and spore production, S71
—*A. radicina*, on carrot, seed assay for detection, S61
—*A. solani*, on tomato, resistance induced by salicylic acid, 722
Altier, N. A., S2
Alvarez, A. M., 366, 1007
Alvarez, E., S3
Alzate-Martin, A. L., 281
Amaranthus hybridus, *Alternaria tenuissima*, infection, S8
Amaud-Santana, E., S91
Amelanchier alnifolia, leaf and berry spot, response mechanism, S66
American Phytopathological Society
—abstracts, author index, S109
—annual and division meeting presentations, author index, S109
—annual report, 15
—award of distinction, 29
—excellence in extension award, 23
—excellence in industry award, 25
—excellence in teaching award, 24
—fellows, 20
—international service award, 25
—Lee M. Hutchins award, 26
—Novartis award, 27
—officers, representatives, and committees, 13
—presidential address, 17
—Ruth Allen award, 28
Ampelomyces quisqualis, mycoparasite of powdery mildew, glucanase encoding, 631
Amylostereum spp., taxonomic and phylogenetic review, S73
Anas, O., S3, S85
Anderson, J. A., 293
Anderson, J. D., S3, S53, S98
Anderson, M. G., S3, S98
Anderson, N. A., S31, S36
Anderson, R. J., S65
Andreotti, C., S18
Andrews, D. L., S28
Andrews, J. (Pa.), S63
Andrews, J. H. (Wis.), S10
Andries, C. L., S3
Andrivon, D., 679
Annis, S., S86
Anthurium, blight, biocontrol, 366
Anthurium andraeanum, bacteria blight, temperature effect, 1007
Antrodia sinuosa, on lemon, in Arizona, S7
Aparicio, F., 991
Apel-Birkhold, P. C., S3, S98
Aphanomyces cochlioides, resistance, evaluation technique, S8
Aphis gossypii, citrus tristeza virus vector, model system, 603
Apis mellifera, blueberry shock virus vector, 124
Apple
—bacterial and fungal pathogens, resistance induced by prohexidione-Ca, S63
—bitter rot, calcium salt for suppression, S99
—*Botrytis cinerea*, cyprodinil for, S72
—canker, wound treatment, S10
—decay, postharvest control, S18
—DPA drenches, postharvest, inoculum potential, S68
—fire blight: benzothiadiazole treatment, S50; epidemic analysis, S98; nectar effect on microbial antagonists, 39; prohexadione-calcium suppression, S88; secondary spread, prohexadione calcium, S37; tetracycline resistance transposons in bacteria, S70
—gray mold, postharvest control, antagonists and calcium chloride, S100
—orchard replant soils, biocide treatment, S50
—postharvest decay, *Escherichia coli* contamination, S36
—*Pythium*, metalaxyl sensitivity, S50
—*Rhizoctonia*-suppressive potential in roots of, 920
—scab: fenarimol use in symptoms, S6; fungicide efficacy in New York, S84; fungicides, S101
—wheat cropping in soil microbes, manipulation, S50
Apple stem grooving virus
—colorimetric detection, S42
—polymorphism analysis, sequence variants, 136
Arabidopsis thaliana
—bacterial wilt, hypersensitivity, 673
—salicylic acid-induced genes, S28
—turnip mosaic virus, cytoplasmic inclusion protein, S76
Arahana, V. S., S104
Araliaceae, *Xanthomonas campestris* on, strain heterogeneity, 646
Arbogast, M., 782
Arceuthobium spp.
—*A. tsugense*, biocontrol, S71
—*A. vaginatum*, on ponderosa pine, effect on song birds, S47
Archambault, C., S81
Arias, J., S91
Aris, V. M., S3
Armillaria spp.
—North American species, molecular markers, S101
—nuclear DNA content, North America, S39
Arnold, J., S84
Arthur, K., S39
Arul, J., S6, S14, S19, S38
Arumuganathan, K., S39
Asano, T., 314
Ascochyta spp., on pea, isolates in Alberta, S82
—*A. lentis*, on lentil, survival in residue, Canada, S28
Asher, M. J. C., 30
Ashizawa, T., S3
Asparagus
—Fusarium crown and root rot: hypersensitivity, S33; NaCl effect on roots, S23
—Fusarium root rot, chloride salt effect, S65
Aspergillus spp.
—*A. flavus*: alpha-amylase, inhibitors, S25; amylase gene, aflatoxin biosynthesis in corn kernels, 908; on corn, chitinase and glucanase in kernels, S36; on corn, host resistance, review, 113; on corn, kernel wax and maternal inheritance, S31; on corn kernels, alkaline protease, S15; corn trypsin inhibitor, antifungal activity, 902; S strain, temporal and spatial patterns, 761; S strains, comparison in Africa and North America, S18; synnemata and stipitate sclerotia in mutant, S50
—*A. niger*, in onion, seed infection, S73
Astua-Monge, G., S3
Audran, J.-C., 197
Aung, T., 518
Avgelis, A. D., 1050
Avila-Adame, C., S4
Avis, T. J., S12
Avocado, *Phytophthora* spp. on, microbial community structure, S87
Aycock, R., 352

Babadoost, M., S4
Bachand, G. D., S12
Bachman, M. S., 59
Bacillus spp., growth-promoting effect in crops, S65

Index for Volume 89

AUTHOR AND SUBJECT INDEX. Pages indicating errata are in italic. "S" indicates June abstract supplement. Publication number P-1999-1101-01O.

Abad, J. A., S72
Abad, P., 380
Abad, Z. G., S1, S72
Abawi, G. S., S1, S54, S84
Abbas, H. K., S1
Abbasi, P. A., S2
Abies concolor, *Heterobasidion annosum*, genetic structure in California, 546
Abney, T. S., S104
Aboshosha, S. S., S52
Abouzid, A. M., 701
Abstracts, author index of APS annual and division meeting presentations, S109
Abt, J. J., S65
Acidovorax avenae
—selective medium, S68
—on watermelon: seed detection, S96; variation, S81
Acuna, I. A., S1
Adachi, K., S35
Adams, G. C., S2, S73
Adams, S. D., S32
Adaskaveg, J. E., 1056, S26
Adrian, M., 298
Agaricus spp., green mold, differential responses, S98
—*A. bisporus*: fruiting, sequence tag, S17; green mold, molecular analysis of strains, 308; Trichoderma green mold, steam pasteurization, S12
Agrobacterium spp.
—*A. radiobacter*: Ti plasmid acquisition, strain K84, 286; on tomato and cherry, biocontrol, 974
—*A. tumefaciens*: T-DNA transfer channel, gene requirement, S58; tumorigenesis, chromosomal gene, S58
—*A. vitis*: on *Petunia*, oncogene expression, S32; *vir* gene, nonpathogenic strain, S81
Agrostis palustris, dollar spot
—compost for biocontrol, S8
—management, zinc and manganese, S78
Aguilar-Rojas, O. I., S45
Ahmed, H. U., 64
Akashi, K., 1186
Akers, A., S40
Akimoto, T., S54
Alan, A. R., S2
Albiach-Marti, M. R., 336
Albugo spp.
—*A. candida*: on *Brassica juncea*, systemic resistance, incompatible isolate inoculation, 1226; host specialization, S27
—*A. occidentalis*, on spinach, fungicides, S94
Al-Dahmani, J. H., S2
Aldwinckle, H. S., S56
Alexander, N. J., S2
Alfalfa
—disease assessment, visual and remote, S105
—foliar pathogens: remote sensing, S30; visual disease assessment, S30
—phytoplasma, detection, S60
—vascular wilt pathogens, cultivar screening, S107
Alfonso, R. F., 64
Ali, S., S2
Allard, S., S58
Allen, R. D., S45
Allmaras, R. R., S37
Almond, anthracnose, epidemiology in California, 1056
Alptekin, Y., 840
Alternaria spp.: on citrus hybrids, in Florida, S59; on tangelo and lemon, host specificity, Florida, 851
—*A. eichhorniae*, growth and spore production, S71
—*A. radicina*, on carrot, seed assay for detection, S61
—*A. solani*, on tomato, resistance induced by salicylic acid, 722
Altier, N. A., S2
Alvarez, A. M., 366, 1007
Alvarez, E., S3
Alzate-Martin, A. L., 281
Amaranthus hybridus, *Alternaria tenuissima*, infection, S8
Amaud-Santana, E., S91
Amelanchier alnifolia, leaf and berry spot, response mechanism, S66
American Phytopathological Society
—abstracts, author index, S109
—annual and division meeting presentations, author index, S109
—annual report, 15
—award of distinction, 29
—excellence in extension award, 23
—excellence in industry award, 25
—excellence in teaching award, 24
—fellows, 20
—international service award, 25
—Lee M. Hutchins award, 26
—Novartis award, 27
—officers, representatives, and committees, 13
—presidential address, 17
—Ruth Allen award, 28
Ampelomyces quisqualis, mycoparasite of powdery mildew, glucanase encoding, 631
Amylostereum spp., taxonomic and phylogenetic review, S73
Anas, O., S3, S85
Anderson, J. A., 293
Anderson, J. D., S3, S53, S98
Anderson, M. G., S3, S98
Anderson, N. A., S31, S36
Anderson, R. J., S65
Andreotti, C., S18
Andrews, D. L., S28
Andrews, J. (Pa.), S63
Andrews, J. H. (Wis.), S10
Andries, C. L., S3
Andrivon, D., 679
Annis, S., S86
Anthurium, blight, biocontrol, 366
Anthurium andraeanum, bacteria blight, temperature effect, 1007
Antrodia sinuosa, on lemon, in Arizona, S7
Aparicio, F., 991
Apel-Birkhold, P. C., S3, S98
Aphanomyces cochlioides, resistance, evaluation technique, S8
Aphis gossypii, citrus tristeza virus vector, model system, 603
Apis mellifera, blueberry shock virus vector, 124
Apple
—bacterial and fungal pathogens, resistance induced by prohexidione-Ca, S63
—bitter rot, calcium salt for suppression, S99
—*Botrytis cinerea*, cyprodinil for, S72
—canker, wound treatment, S10
—decay, postharvest control, S18
—DPA drenches, postharvest, inoculum potential, S68
—fire blight: benzothiadiazole treatment, S50; epidemic analysis, S98; nectar effect on microbial antagonists, 39; prohexadione-calcium suppression, S88; secondary spread, prohexadione calcium, S37; tetracycline resistance transposons in bacteria, S70
—gray mold, postharvest control, antagonists and calcium chloride, S100
—orchard replant soils, biocide treatment, S50
—postharvest decay, *Escherichia coli* contamination, S36
—*Pythium*, metalaxyl sensitivity, S50
—*Rhizoctonia*-suppressive potential in roots of, 920
—scab: fenarimol use in symptoms, S6; fungicide efficacy in New York, S84; fungicides, S101
—wheat cropping in soil microbes, manipulation, S50
Apple stem grooving virus
—colorimetric detection, S42
—polymorphism analysis, sequence variants, 136
Arabidopsis thaliana
—bacterial wilt, hypersensitivity, 673
—salicylic acid-induced genes, S28
—turnip mosaic virus, cytoplasmic inclusion protein, S76
Arahana, V. S., S104
Araliaceae, *Xanthomonas campestris* on, strain heterogeneity, 646
Arbogast, M., 782
Arceuthobium spp.
—*A. tsugense*, biocontrol, S71
—*A. vaginatum*, on ponderosa pine, effect on song birds, S47
Archambault, C., S81
Arias, J., S91
Aris, V. M., S3
Armillaria spp.
—North American species, molecular markers, S101
—nuclear DNA content, North America, S39
Arnold, J., S84
Arthur, K., S39
Arul, J., S6, S14, S19, S38
Arumuganathan, K., S39
Asano, T., 314
Ascochyta spp., on pea, isolates in Alberta, S82
—*A. lentis*, on lentil, survival in residue, Canada, S28
Asher, M. J. C., 30
Ashizawa, T., S3
Asparagus
—Fusarium crown and root rot: hypersensitivity, S33; NaCl effect on roots, S23
—Fusarium root rot, chloride salt effect, S65
Aspergillus spp.
—*A. flavus*: alpha-amylase, inhibitors, S25; amylase gene, aflatoxin biosynthesis in corn kernels, 908; on corn, chitinase and glucanase in kernels, S36; on corn, host resistance, review, 113; on corn, kernel wax and maternal inheritance, S31; on corn kernels, alkaline protease, S15; corn trypsin inhibitor, antifungal activity, 902; S strain, temporal and spatial patterns, 761; S strains, comparison in Africa and North America, S18; synnemata and stipitate sclerotia in mutant, S50
—*A. niger*, in onion, seed infection, S73
Astua-Monge, G., S3
Audran, J.-C., 197
Aung, T., 518
Avgelis, A. D., 1050
Avila-Adame, C., S4
Avis, T. J., S12
Avocado, *Phytophthora* spp. on, microbial community structure, S87
Aycock, R., 352

Babadoost, M., S4
Bachand, G. D., S12
Bachman, M. S., 59
Bacillus spp., growth-promoting effect in crops, S65

—*B. thuringiensis*, Bt Cry protein, serology, S86
Backhouse, D., S21, S56
Bacon, C. W., S27, S88
Bacon, R., S4
Bacteria, leaf colonization, strategy spectrum, 353
Bae, Y.-S., S4
Baek, J.-M., S4
Baenziger, P. S., S69
Bai, G.-H., 343
Bai, J., S4
Bailey, B. A., S3, S98
Bailey, D. J., 84
Bailey, J. E., S3
Bailey, K. L., S8
Baillieul, F., 197
Bains, P. S., S4
Baird, R. E., S5, S11
Bakker, P. A. H. M., 1073
Balasubramanian, S., S5
Baldridge, G., S80
Ballesteros, M., S29, S99
Banana
—black leaf streak, in Guam, S82
—crown rot, biocontrol, S85
Bandyopadhyay, R., S35
Banks, D., S15
Banniza, S., 414
Bardinelli, T. R., S93
Barg, E., 148
Barker, K. R., 612, S10
Barley
—covered smut, PCR detection, 212
—Fusarium head blight resistance, S24
—net blotch, virulence tagging, 176
—powdery mildew, blue-UVA effect, S22
—rust and scab resistance genes, polymorphism, mapping, S15
—scald, genetic structure of pathogen, 639
—stripe rust, genetics of resistance, 226
—triticonazole seed treatment, vigor enhancement, S40
Barley yellow dwarf virus
—control by vector modification, S38
—plant breeding tool, S17
—quantitative trait loci, S31
—on wheat, yield loss, S33
Barnes, C. W., S5
Barnes, G. D., 861
Barnett, J., S5
Bartlett, D. W., S5
Bashore, S., S77
Basidiospore, dispersion and culture process, S21
Basim, H., 1044
Basnayake, M. D. V. R., S98
Batchelor, W. D., S56
Batten, J. S., S5, S45
Bauer, P. H., S44
Baum, T. J., S82
Bauske, E. M., S32
Bazzi, C., S18
Beachy, R. N., 1022
Bean, cell death, cDNA clone, S36
Bean calico mosaic virus, squash leaf curl virus affiliation, characterization, 273
Bean golden mosaic virus
—on bean, isolate variability in Brazil, 262
—*trans*-dominant lethal, antiviral strategy, 480
Bean yellow mosaic virus, coat protein, Fab antibody, S48
Beattie, G. A., 353, S48
Beaulieu, C., S59
Beaulieu, J., 915
Becherer, H. E., S9
Beck, J. J., S5
Becker, C. M., S98
Becker, J. O., S84
Becker, K. B., 796
Beckham, K. A., S62
Becton, C. M., S67
Bedford, K. E., S72
Been, T. H., 583
Beer, S. V., S56
Beet necrotic yellow vein virus, on sugar beet, rhizomania, 1000
Beet pseudo-yellows virus, distribution and molecular variation, 707
Beet soilborne mosaic virus, nucleotide sequence, S45
Bélanger, R. R., 728, S12, S51, S67
Bell, A. A., S6
Bell, J., S52, S100
Bemisia tabaci
—geminivirus vector, molecular marker, S91
—squash leaf curl virus vector, occurrence in body, 239
Bender, C. L., S25
Bender, C. M., S8
Benhamou, N., 506, 728, S19, S14, S23, S87
Benítez, T., 254
Bennett, D. L., S68
Bennett, R. N., 1226
Benny, U., S32
Bennypaul, H., S4
Benson, D. M., S6
Bergstrom, G. C., S71
Berkett, L. R., S47
Bernardo, I., 1169
Bernier, J., S6
Bernier, L., 915, S22, S26, S76
Berton, O., S6
Bertrand, H., S102
Bertrand, P. F., S93
Bérubé, J. A., 915, S44, S101
Bessis, R., 298
Best, V. M., 1127
Beta vulgaris, beet cyst nematode, soil suppressiveness, 434
Beyer, D. M., S3, S12, S98
Bezerra, I. C., 823
Bhaskara Reddy, M. V., S6, S19, S38
Bhat, A. I., S6, S15
Bhat, R. G., 1218, S7
Bhatia, A., S104
Bhatt, G., S7
Bigelow, D. M., 761, S7
Biggerstaff, C. M., S7
Biggs, A. R., S98, S99
Biles, C. L., S89
Binns, M. R., 1104
Biological control
—*Ampelomyces quisqualis*, mycoparasite of powdery mildew, glucanase encoding, 631
—*Bacillus subtilis* and *Trichoderma harzianum* for kidney bean root rot, S24
—bacteria for anthurium blight, 366
—bacteria, phloroglucinol in selection, S88
—bioherbicides, *Drechslera* and *Exserohilum* spp., nontarget host reaction, S13
—chitinolytic bacteria for cucumber Fusarium wilt, 92
—*Coniothyrium minitans* for *Sclerotinia sclerotiorum*, long-term sanitation, 141
—crown gall of tomato and cherry, dose response and model, 974
—*Fusarium oxysporum* and *Pseudomonas putida* for flax Fusarium wilt, 1073
—Fusarium wilt of tomato by nonpathogenic species, mechanisms and dose response, 1152
—microbial antagonists for fire blight of pome fruits, nectar effect, 39
—*Pantoea agglomerans* for fire blight of apple and pear, S62
—*Pseudomonas syringae* and *Alternaria* for Canada thistle, S8
—rhizobacteria, growth-promoting, for foliar pathogens, S65
—*Stenotrophomonas maltophilia*, on *Bipolaris* on tall fescue, 817
—*Streptomyces* transposon Tn5353, luciferase gene, S67
—*Trichoderma* and *Pseudomonas* for wheat take-all control, S22
—*Trichoderma harzianum*: molecular analysis of strains, 308; to *Rhizoctonia solani*, transformants with chitinase, 254
—*Ulocladium atrum* for *Botrytis* spp., 868
—vegetable transplants, commercial potential, S39
Bipolaris sorokiniana, on fescue, biocontrol, 817
Bird, C. B., S1
Bish, E. B., S29
Blaich, R., S70
Bliss, W. O., S7
Blodgett, J. T., S7, S8, S37
Blom, P. E., 1112
Blom, T. J., S29
Blueberry
—fruit rotting fungi, Michigan, S69
—pest management in Georgia, survey, S69
Blueberry shock virus, pollen-borne, honeybee transmission, 124
Blumeria graminis, on cereals, penetration resistance breakdown, nonhosts, S89
Boal, R., S30
Boari, A. J., S57
Boccardo, G., 303
Boehm, M. J., S26, S39, S46
Bois, D., S91
Boland, G. J., S8
Bond, J. P., S8
Bond, W. P., S8
Bonde, M. R., S8
Bonfiglioli, R. G., 894
Bongiovanni, M., 380
Bonsall, R. F., 470, S35, S63
Boonstra, H., S27
Boppuri, L., S32
Bordas, A. C., S8
Borejsza-Wysocka, E. E., S56
Borhan, M. H., S90
Borlee, B. R., S66
Borthakur, D., S37
Bos, L., 148
Bostock, R. M., 962, S82
Bothast, R. J., S69, S73
Botryosphaeria spp.: molecular phylogeny, internal transcribed spacer, rDNA sequence, S90; species complexes, inter simple sequence repeat as tool, S90
—*B. dothidea*, RAPD marker differentiation, S74
Botrytis spp.: biocontrol by *Ulocladium atrum*, 868; on faba bean, factors, S42
—*B. cinerea*, antifungal agent sensitivity, pH effect, S94; on begonia, calcium chloride for control, S42; benzimidazole and dicarboximide effect, analyses, S88; captan, thiram, and mancozeb effect, greenhouse crops, S20; on grape, defense induction, 197; laccase, pterostilbene dehydrodimer, characterization, 298; sibling species, sympatry, 967; on tomato fruit, ultraviolet treatment, S14
Boudabbous, A., S67
Boudreau, M. A., S80
Boulter, J. I., S8
Bourque, J., S71
Bouzar, H., 328
Bowden, R. L., 182
Bowen, K. L., S10, S32
Bowers, J. H., S8
Boyetchko, S. M., S8
Brady, S. F., S66
Brainard, K. A., 942
Brantner, J. R., S8, S104
Brassica spp.
—*B. juncea*, white rust, resistance induced by incompatible isolate, 1226

—*B. napus*: blackleg, resistance and introgressions, 1200; blackleg, resistance gene, 169; recombinant lines, resistance to *Leptosphaeria maculans*, S90
Braun, E. J., S7
Bremia lactucae, sporangia, periodicity, S11
Brenneman, T. B., S93
Breuil, A.-C., 298
Breuil, C., S9, S26, S34, S39
Bridge, P D., 414
Brioso, P. S. T., S100
Brisson, J., S81
Brisson, L. F., S27, S43
Bristow, P. R., 124
Britton, K. O., S9
Britz, H., S9
Brlansky, R. H., S61
Brooks, C., S26, S99
Brooks, R. W., S9
Brown, E. M., S3
Brown, J. (Canada), S12
Brown, J. K. (Ariz.), 239, 273, S91
Brown, L. G., S91
Brown, R. L., 113, 902, S9, S15, S28
Brown, S. E., S9
Brown, W., S29
Browne, G. T., S9
Brown-Rytlewski, D., S10
Brun, H., 169, 1200
Bruns, T. D., 546
Bruton, B. D., S10, S89, S95
Brygoo, Y., 967
Bucchi, F., S18
Buck, J. W., S10
Bugiani, R., 947
Bujold, I., S10
Bull, C. T., S8, S16
Bulluck, L. R., III, S10
Bulman, S. R., 392
Burch, K. B., S10
Burdon, J. J., 639
Burgess, L. W., 1126, S21, S56
Burke, K. C., S52
Burkhead, K. D., S73
Burkholderia cepacia, copper sensitivity, S48
Burr, J. A., S84
Burr, T. J., S33
Bushnell, W., S80
Butler, E. E., S40
Butternut, canker, dsRNA detection, S74
Buyer, J., S26
Byrne, J. M., S10, S99
Byrne, T., S9

Cabbage, white mold, fungicides, S16
Cabrera, O., S11
Cactus
—phytoplasma, in Mexico, S45
—viruses, in U.S. southwest, S15
Cadenas, M., S30
Caesar, A. J., S55
Caesar-Tonthat, T. C., S11
Cai, G., S11
Caldwell, W. D., S17
Callahan, T. M., S79
Calvert-Evers, J., 303
Camara, M. P. S., S99
Camero, R., 1038
Campbell, C. L., 17, S3, S23
Campbell, H. L., S11
Canaday, C. H., S11, S93
Canihos, Y., 851
Canola
—brown girdling root rot, yield loss, S40
—disease controlled by reduced tillage and crop rotation, S43
Cao, T., 962
Capell, B., S65
Cappaert, M. R., 782
Capsicum spp.
—*C. annuum*, bacterial spot, major resistance genes, 1066
—*C. pubescen*, hypersensitivity, *Xanthomonas campestris*, S53
Cardwell, K. F., S18, S70
Carey, W. A., S57
Carisse, O., S6, S10, S11, S13, S20, S23, S77, S84
Carling, D. E., 942, S5, S11
Carnation, Fusarium wilt, detection by PCR amplification, 1169
Caron, S. J., S12
Carraro, L., 894
Carras, M. M., S102
Carrot
—gray mold, resistance induction, S6
—root lesion nematode, band fumigation, S50
Carson, M. L., S12
Carter, D. A., 942, S56
Cartwright, R. D., 176, S1, S53, S95, S96
Carver, T., S89
Casalongué, C., 840
Cassava, bacterial blight, semiselective medium for isolation, 591
Cassidy, B. G., S94
Castagnone-Sereno, P., 380
Castaigne, F., S6, S19
Castellanos, G., S47
Castello, J. D., S12
Castle, A. J., S27
Caswell-Chen, E. P., 68
Catharanthus roseus, *Phytophthora*, in Hawaii, S78
Catlin, N. J., S12
Catranis, C. M., S12
Cauliflower mosaic virus
—hypersensitivity, tobacco, S16
—in yeast, polycistronic 35S RNA, S71
Cavallarin, L., 737
Cavanni, P., 947
Celebi, S., S12
Cephalosporium maydis, on corn, in Egypt, S23
Ceratocystis fagacearum, on oak, cyanide-resistant respiration and virulence, S102
Cercospora spp., cercosporin production, degradation, S53
—*C. arachidicola*, on peanut, temperature and wetness effect, 653
—*C. nicotianae*, cercosporin resistance, gene characterization, S22
Ceresini, P. C., S12
Cerkauskas, R. F., S12
Cevik, B., S13
Chaky, J., S13
Chandler, C. K., S45, S52, S86
Chandramohan, S., S13
Chandrika, R., S13
Chaney, H., S95
Chang, C. J., S9, S15
Chang, K. F., S13, S35, S82
Chantre, N., 533
Charest, J., S13, S20
Charest, P. M., S43, S44, S59, S83
Charkowski, A. O., S14
Charles, M. T., S14
Charlet, G., S38
Charudattan, R., S13, S71, S86
Chase, A. R., 646
Chastagner, G. A., S14
Chatterjee, A., S14, S22
Chatterjee, A. K., S14, S22
Chellemi, D. O., S41
Chen, C. Y., S14
Chen, G., S14
Chen, J., S15
Chen, L., 1022
Chen, W. (Ill.), S15
Chen, W. (S. Africa), S8
Chen, X. (Pa.), 308
Chen, X. M. (Wash.), 226, S15
Chen, Y.-S., S60
Chen, Z.-Y., 113, 902, S9, S15
Cheon, J. U., S15
Cherif, M., S67
Cherry, crown gall, biocontrol, 974
Cherry mottle leaf virus, RT-PCR detection, S36
Chessin, M., S15
Chèvre, A. M., 1200
Chida, Y., 1186
Chiocchetti, A., 1169
Chittoor, J., S104
Chitwood, D. J., S52
Chlamydomonas reinhardtii, phytotoxicity, model system, S2
Cho, E. K., S93
Cho, J. H., S93
Choi, H. S., S15
Choi, I.-R., 1182
Choi, S. (Kans.), S4
Choi, S. H. (Korea), 928
Choi, W., S15, S64
Choi, Y. G., 877
Chong, J., S31
Chopin, F., 298
Christ, B. J., S46, S64
Chrysanthemum spp.
—*C. carinatum*, phytoplasma, localization in host and vector, 894
—*C. morifolium*, virus-like particles in leaf cells, S48
Chrysanthemum stem necrosis virus, new in Brazil, 823
Chtioui, Y., 668, S16
Chun, W., S60, S61, S65
Chung, K.-R., S22
Chung, Y. R., 92
Cintas, N. A., S16
Circulifer tenellus, vector for *Spiroplasma citri*, internal movement, 1144
Citrus
—canker, spread in Florida, S29
—green mold, postharvest washing, sodium bicarbonate, S74
—hop stunt viroid on, cachexia and xyloporosis, 568
—melanose, weather factors, S35
—postharvest fungicides, resistance in *Penicillium*, 716
—tangelo and lemon, Alternaria brown spot, host specificity, 851
Citrus tristeza virus
—aphid vector and spatial dynamics, stochastic modeling, 603
—aphid vector, transmission, S61
—assessment and survey, aphid vector, 487
—molecular comparison of isolates, S33
—molecular variation, California, S67
—RNA polymerase gene, characterization, S13
—sequence divergence, 336
Citrus viroid, group II variants, symptom expression, cover photo, July
Ciuffetti, L. M., 444
Claflin, L. E., S16, S64
Clardy, J., S66
Clark, G. M., S16
Clarke, B. B., S77
Clavibacter michiganensis
—on potato: HR-elicitor, S56; mapping, S9
—on tomato: detection in seed, PCR assay, S90; fruit spot development, S100; genomic variation, S52; population characterization, S103; soil moisture effect, S7
Claviceps spp., on sorghum, species differentiation, sequence analysis, S102
—*C. africana*: genetic variability, S64; on grain sorghum, survival, S16; on sorghum, hybrid reaction, S35
—*C. purpurea*, peptide synthetase gene, cloning, S58

Clayton, M. K., S79
Cleveland, T. E., 113, 902, S9, S15, S28, S31
Cobb, F. W., 546
Cochliobolus heterostrophus, cercosporin effect, transgenic expression, S79
Cochran, A. J., S104
Coconut, etiology of uncertain diseases, S37
Cody, B. R., S16
Coffman, C. B., S53
Cognet, S., S37
Cohen, J. D., S54, S100
Cohen, S. D., S16
Cohen, Y., 1138
Colburn, G. C., S16, S53
Cole, A. B., S16
Colletotrichum spp.: on almond, conidial morphology, cover photo, November; on postharvest fruit, rDNA sequence, S42; on strawberry, splash dispersal of conidia, 555
—*C. acutatum*: on almond, epidemiology in California, 1056; on strawberry, secondary spores, S44
—*C. gloeosporioides*: on *Arachis pintoi*, genetic diversity, S38; on *Malva pusilla*, protein kinase homologs, S14
—*C. graminicola*, spore germination, surface characteristics, S13
—*C. lindemuthianum*, on bean, resistant gene Co-6, 281
—*C. orbiculare*: on watermelon, fungicides, S90; on watermelon, spatio-temporal model, S97
Collin, J., S17
Collins, D. J., S17
Collins, D. P., S17
Collins, S., S17
Collopy, P. D., S17
Colquhoun, I., S17
Colyer, P. D., S17
Comeau, A., S17
Comstock, J. C., S17
Conifers, rust fungi, allelic diversity in 10 spp., S22
Coniothyrium spp.
—*C. minitans*: biocontrol agent for *Sclerotinia*-infected crops, 141; cover photo, February
—*C. zuluense*, on *Eucalyptus* spp., characteristics in South Africa, S80
Conklins, M. A., S25
Conner, R. L., S56
Connolly, J. H., S18, S99
Conway, W. S., S18, S36
Cook, D. L., S75
Cook, R. J., S35
Cooperband, L. R., S75
Copes, W. E., S69
Coprinus cinereus, RAPD marker mapping, S48
Corn
—aflatoxin, resistance, kernel wax effect, S28
—aflatoxin contamination: host resistance, review, 113; nitrogen effect, Louisiana, S78
—*Fusarium* spp. interaction, ear rots, mycotoxins, 1028
—gray leaf spot: epidemiology and management in USA, S101; forecasting, S104
—head smut, development in shoot apex, 247
—kernel resistance, *Aspergillus* and *Fusarium*, S9
—mutants, bacterial colonization, S48
—novel virus in Israel, S70
—Phaeosphaeria leaf spot, resistance inheritance, S12
—phytoanticipin detoxification, *Fusarium moniliforme*, genetics, S27
—pink ear rot, genes, S58
—root rot, conservation tillage effect in Mexico, S52
—rust, damage thresholds in inbreds, S83
—seed infection cytology, PRms protein, 737
—Stewart's disease, prediction, S105
—sugarcane mosaic virus, resistance, loci mapping, 660
—yield and agronomic characters, Bt toxin, tefluthrin, azoxystrobin, and propiconazole, S101
Cornelissen, B. J. C., 156, 1131
Costa, G., S18
Costa, J. B., S33
Cotton
—aflatoxin contamination in seed, S strain, 761
—crown gall, *Rhizoctonia* and *Agrobacterium* synergism, S6
—Fusarium wilt, nematode relation, S17
—nematodes, Louisiana deltar region, S51
—reniform nematode, in Tennessee, S75
—root-knot nematode and black root rot, temperature effect and histopathology, 613
—*Xanthomonas campestris*, terpenoid biosynthesis, S60
Cotty, P. J., 761, S18
Coutinho, T. A., S9, S73, S75, S80
Coutts, R. H. A., 1050
Cover photo
—citrus viroid, symptoms and variants, July
—*Colletotrichum* spp., from almond, conidial morphology, November
—*Coniothyrium minitans* on bean, February
—*Fusarium oxysporum*: on tomato, macroconidia, September; *lycopersici*, GUS transgenic mutant in tomato, December
—*Melampsora larici-populina*, on poplar, March
—oleander leaf scorch, symptoms, January
—*Plasmodiophora brassicae*, on turnip, April
—soybean dwarf luteovirus, May
—*Sphaerotheca fusca*, on cucumber, biocontrol, August
—*Stemphylium vesicarium*, on tomato and pear leaves, October
—*Toxoptera citricida* on citrus, June
Cowgill, W., S100
Cowpea, rust, hypersensitivity, ultrastructural analysis, S54
Cowpea chlorotic mottle virus, RNA 1 mutation, phloem-dependent movement, S63
Cowpea mosaic virus, cucumber mosaic virus comparison, synergism, S21
Cranberry
—fruit-rotting fungi, distribution in New Jersey, 218
—*Monilinia oxycocci*, resistance, 1127
—multiplex detection, DNA arrays in rotorod spore samplers, S45
Crawford, W. E., S62
Creemers, P., S63
Crippen, D. L., 1193, S77
Croft, B. J., 877
Cronartium ribicola, on white pine
—*Cro r* I, cDNA, cloning, S88
—genetic structure in Canada, 915
—major gene resistance, 861
—on sugar pine, virulence inheritance, 192
—in Wisconsin, S19
Cronjé, C. P. R., S37
Crowe, F. J., S59
Crowley, D. E., S87
Cryphonectria parasitica
—on chestnut, biocontrol organism for, S100
—hypovirus 1, sequence similarity in Europe and Asia, S46
Csinos, A. S., S18, S49, S58, S59
Cu, R. M., S46
Cuasquer, J. B., S47
Cubeta, M. A., S12, S16
Cucumber
—*Colletotrichum lagenarium* on, acquired resistance, cycloheximide, S80
—damping-off, *Enterobacter cloacae* for suppression, S101
—Fusarium crown and root rot, epidemiology in British Columbia, S59
—Fusarium wilt, biocontrol with bacteria, 92
—leaf spot, organisms in North Carolina, S23
—phytoalexin production, S51
—powdery mildew, ultrastructure, 728
—wilt and root rot, genetic diversity in *Fusarium*, 161
Cucumber mosaic virus
—on *Ajuga reptans*, characterization, S26
—on cowpea, virulence and amino acid change, 1186
—RNA 3, characterization, S38
—on tomato, bacteria for growth promotion, S67
—on weeds, aphid transmission, S34
—on yellow pasion flower, in Brazil, S27
Cucumis melo
—dieback, resistance, S35
—Fusarium wilt, resistance, S38
Cucurbit
—powdery mildew, noncucurbit hosts, S102
—viruses, cropping pattern effect, S19
—yellow vine bacterium, insect endosymbiont, S95
Cucurbit yellow stunting disorder virus
—coat protein gene, molecular characterization, 1050
—distribution and molecular variation, 707
Cucurbita pepo, ilarvirus, characterization, S83
Cui, Y., S14, S22
Culbreath, A. K., S6, S94, S95
Culver, J. N., S18
Cummings, S. M., S93
Cummings Carlson, J. E., S19
Cuperus, C., 148
Cuppels, D., S19, S67, S81
Curcuff, R., S6
Curio-Penny, B., 796
Cyathus olla, canola stubble fiber decomposition by, S72
Cyclamen persicum, *Botrytis* spp., biocontrol with *Ulocladium*, 868
Cyclaneusma minus, on pine, antagonism and hyperparasitism, S81
Cylindrocladium spp., species comparison, S56
Cymbidium mosaic virus, detection, immuno-capillary zone electrophoresis, 522
Cytospora spp., on *Eucalyptus* spp., *Valsa* teleomorph, S2

Daboussi, M.-J., 1169
Dagry, K. M., S19
Dahir, S. E., S19
Daleo, G. I. I. B., 840
Daleo, G. R., S31
Dally, E. L., S100, S102
Damann, K. E., S15, S28, S78
Damicone, J. P., 653, S19, S94
Damrongkool, P., S58
Damsteegt, V. D., 374
D'Andrea, E., 303
Dandurand, L. M., S19
Dankers, W. A., S54
Dann, E. K., 598
D'Arcy, C. J., S34
Dargent, R., 247
Datnoff, L. E., S19, S70
Daub, M. E., S22, S53
Davis, E. L., S82, S87
Davis, G., S30
Davis, M. J., S3, S19
Davis, R. E., S100, S102
Davis, R. M., S36
Dawson, W. O., 336
Day, M. E., S46
Dayan, F. E., S94
Deacon, J. W., S49
Dean, R. A., S15, S38, S42, S64, S88
de Ávila, A. C., 823
de Barros, E. G., 281
de Bruijn, F. J., 328, S52
de Carvalho, G. A., 281
de Cock, A. W. A. M., S45
Défago, G., S49, S88
degli Ivanissevich, S., 748

de Groot, F., 1131
de Haas, B. H., 868
DeJong, T. M., 962
de Kochko, A., 1022
Delen, N., S20
Dell, K. J., S31
Delourme, R., 169
Del Rio, L. E. , S105
Demirci, E., S41
Denny, T. P., 1233, S7
Deom, C. M., 934, S6, S63, S83
de Paul Júnior, T. J., 281
DePriest, P. T., S99, S102
Derby, J., S8
Derckel, J.-P., 197
Derie, M. L., S20
Derksen, D., S28
Dernoeden, P. H., S99
Dery, P. D., S101
DeScenzo, R. A., 884
Desilets, H., S29, S87
de Souza, J. T., S20
Despins, T., S44
Desvoyes, B., S20
de Villiers, G., S29, S99
Dewdney, M., S13, S20
Dewey, F. M., 868, S4
DeWolf, E. D., S20, S105
de Zoeten, G. A., S73
Diaby, M., S20
Diallo, H., S21
Diaporthe phaseolorum, on soybean, molecular detection in seed, 796
Díaz, J. A., 1038
Díaz-Ruíz, J. R., 1176
Dickson, D. W., S65
Dicliptera sexangularis, geminiviruses from, S72
Didymella bryoniae
—on cucurbits, worldwide collection, variation, S42
—hypovirulence, dsRNA association, S79
—virulence and cell wall-degrading enzymes, S89
—on watermelon and cantaloupe, benomyl sensitivity, S42
Diers, B. W., 598
Dietz, J. M., S105
DiLeone, J. A., 974
Dill-Macky, R., S21, S24, S55, S60
Diner, A. M., S21
Ding, X., S82
Discula umbrinella, DNA, analysis protocol, S16
Disease, soil and plant interaction, spectroscopy and metal study, S107
Disease forecasting, wetness duration, 668
Disease management, decision tools, evaluation, S52
Di Terlizzi, B., 991
Dobinson, K. F., S54
Dodo, H. W., S61
Domanski, D., S79
Domier, L. L., 343, S58
Donohue, C., S64
Donovan, N. J., S21
Doster, M. A., S21
Douds, D. D., S21, S55
Doughty, K. J., 1226
Douglas, M. P., S21
Douglas, S. M., S43
Doussinault, G., 533
Dowd, P. F., S36
Dowler, C. C., S18
Doxtader, D. C., S43
Driscoll, S. J., S60, S107
Druffel, K., S44
Dry, I. B., S25
Dubey, T., S21
Dubin, H. J., S52
Duffus, J. E., S57, S85
Duffy, B., S22, S88
Duick, J. W., S22, S28
Duijff, B. J., 1073
Duke, C., S69
Dumenyo, C. K., S22
Duncan, K. E., S22
Duplaga, B., S30
Duplaga, W., S30
Dupper, G. E., 192
Dusabenyagasani, M., S22
Duthie, J. A., 653, S90, S97
Dutilleul, P., 74

Earle, E. D., S2
Eastburn, D. M., S34
Eayre, C. G., S22
Eberlein, C. V., S19
Echinacea spp., Alternaria leaf spot, S13
Eckert, J. W., 716
Eckhardt, L. G., S18
Edelson, J. V., S19
Edwards, H. H., S22
Effertz, R. J., 293
Egan, A. R., S85
Egger, K. N., S101
Ehara, Y., 1186
Ehrenshaft, M., S22
Ehret, G. R., S37
Eisley, J. B., 840
Eken, C., S41
Ekramoddoullah, A. K. M., S88
El-Allaf, S. M., S23
El-Assiuty, E. M., S23
Elbasher, K. A., S56
El Bassam, S., S23
Elfving, D. C., S50
Elias, E., S74
Elings, S., 789
Elkins, R. B., S31
Ellingboe, A. H., S20, S105
Elliott, M. L., S23
Ellis, M. A., 555, S24
Ellis, P. J., S29, S99
Elmer, W. H., S23
El-Sattar, A., S60
Elwakil, M. A., S71
Emele, L. R., S23
Emery, K. M., S23
Enebak, S. A., S24, S57
Engel, S. R., 884
Ens, W., S32, S70
Entomosporium mespili, conidiogenesis, ultrastructure, S53
Enyedi, A. J., 722
Epichloë festucae, endophytes, genetics, S77
Epidemiology
—mixed host population, mini-review, 984
—sample size, disease prediction, spatial hierarchy, 770
—take-all, primary and secondary infection dynamics, 84
Erincik, O., S24
Errampalli, D., S24
Errata
—vol. 89, no. 5, 1999, *712*
—vol. 89, no. 6, 1999, *840*
Erwinia spp., pathogenicity factors, global regulator genes, S22
—*E. amylovora*: on apple, attacin E effect on resistance, S56; in apple, endophytic in tissue, S102; bacteriophage for control, S27; on crabapple, water factors, S62; plasmid, sequence analysis, S51; on pome fruit, nectar effect on microbial antagonists, 39
—*E. carotovora*: on calla lily, copper effect, S29; tissue macerating enzymes, temperature effect, S14
—*E. herbicola*, foliar pathogen, 353
—*E. stewartii*, on corn, kernel infection, S52
—*E. tracheiphila*, on cucumbers, PCR for detection, S10
Erysiphe spp.
—*E. cichoracearum*, on *Monarda didmya*, tolerance, S9
—*E. graminis*, on wheat, resistance gene, residual effect of gene *MIRE*, 533
Esker, P. D., S105
Espinha, L. M., S27
Essenberg, M., S60
Estevez de Jensen, C., S24
Et-touil, K., 915
Eun, A. J.-C., 522
Euscelidius variegatus, phytoplasma vector, localization in host, 894
Eutypa spp., on grape, genetic analysis in California, 884
Evans, C. K., S24
Evans, I. R., S39
Evans, J. R., S63
Evans, N., S24
Evans, T. A., S98
Evans, W. B., S53
Evensen, C., S78
Eversmeyer, M. G., S24
Evert, K., S54
Everts, K. L., S25, S53

Faggian, R., 392
Faghihi, J., 204
Fakhoury, A. M., 908, S25
Fakhr, M. K., S25
Falk, B. W., 707, S67
Fang, E., S15, S64
Faria, J. C., 262
Faris, J. D., 293
Farnham, M. W., S38, S42
Fauquet, C., 1022
Feldman, M., 840
Feliciano, C. J., S31
Fellers, J. P., S25
Fernandez, D., 407
Fernandez, G. E., S1, S29
Fernandez-Pavia, S. P., S51
Fernando, W. G. D., 74, S37
Ferrand, K. H., S81
Ferree, D. C., S24
Ferris, J. M., 204
Fery, R. L., S77
Fessehaie, A., 591
Festuca arundinacea, endophyte-infected, seed germination, S84
Fichtner, E., S25
Ficke, A., S25
Ficus carica, fungal decay, California, S21
Figueira, A. R., S57
Filion, M., S25
Finckh, M. R., 64
Fisher, J. R., S26
Fisher, K. H., S83
Fitt, B. D. L., S24
Flak, L. A., S75
Flax, Fusarium wilt, antagonism by *Fusarium* and *Pseudomonas* spp., 1073
Fleet, C., S9
Fleischer, S. J., 1112
Fletcher, J., 1144, S10, S95
Flynn, J. F., S29
Fokkema, N. J., 141
Foreman, G. L., S106
Förster, H., 1056, S26
Fortin, M., S4, S60, S76
Fortini, D., 967
Fortnum, B. A., S57
Fragkiadakis, G A., 161
Francl, L. J., 293, 668, S2, S16, S20, S105
Fravel, D. R., 1152, S26
Frederick, R. D., S8, S102
Freeman, S., 456
French, R., 1182
Frick, M. M., S56

Friesen, T. L., S105
Frohberg, R. C., S32
Fry, J. D., S71
Fry, W. E., S30, S36, S50
Fukui, H., 366, 1007
Fukui, R., 366, 1007
Fulbright, D. W., S52, S100, S102, S103
Fumigation
—dazomet, forest nursery application, S37
—methyl bromide, tobacco and tomato seed beds, S18
Fungicides (general) (see also Fungicides, specific)
—autography and microtiter assay, protocol, S96
—rain-fastness and redistribution for Oomycetes, S63
—wheat seed treatment, take-all, model, 954
Fungicides (specific) (see also Fungicides, general)
—imazalil, *Penicillium* spp. resistant to, 716
—kresoxim-methyl: for disease control in pecan, apple, and cucurbit, S93; mode of action, host physiology effects, S40; on ornamentals, S16; performance on apple, pear, grape, pecan, and cucurbit, S28
—mancozeb, rain-fastness formulation, S63
—*o*-phenylphenol, *Penicillium* spp. resistant to, 716
—phenylamide, *Phytophthora* resistance, 754
—RH-7281: foliar oomycete disease control, S85; oomycete control, resistance risk, S88
—thiabendazole, *Penicillium* spp. resistant to, 716
Furuya, H., 47
Fusarium spp.: on hosta, root and crown infection, S82; on shortleaf and longleaf pine seed, S57
—*F. avenaceum*, phytotoxin, on *Rubus* spp., S34
—*F. circinatum*, populations, in South Africa, S9
—*F. graminearum*: on corn ear, *F. moniliforme* interaction, mycotoxins, 1028; on wheat, resistance and molecular markers, 343; on wheat, survival and inoculum potential, S60
—*F. moniliforme*: on corn, infection cytology, PRms protein, 737; on corn, selective medium, S27; on corn, stem and ear borer relation, S70; fumonisin B_1 produced by, suppressed by *Trichoderma*, S88; fumonisin biosynthesis, FIC1, S72
—*F. oxysporum*: 24 kDa protein from, fungal effect, S98; on basil, biocontrol, S26; on birdsfoot trefoil, epidemiology, S2; on carnation, detection by PCR amplification, 1169; on collard and kale, resistance, S38; on cucumber, genetic diversity and RAPD fingerprinting, 161; on date palm, diagnosis, 407; DNA banding pattern, S66; filtrates, weed control, S3; on flax, variability, S64; flax wilt suppressed by, 1073; on lettuce, in Japan, S87; *lycopersici*, GUS transgenic mutant in tomato, cover photo, December; *nit* mutants, selective medium, S56; on tomato, biocontrol with nonpathogenic species, 1152; on tomato, genetic diversity, molecular markers, S11; on tomato, macroconidia, cover photo, September; on tomato, population genetics, 623; on tomato, spatial distribution and dissemination in soil, 831; on tomato, vegetative compatibility groups, 156; on tomato, virulence and pathogenicity in gamma-irradiated mutant, 1131
—*F. proliferatum*, molecular variations in populations, S56
—*F. solani*, on bean, suppression by soil aluminum, 47
—*F. subglutinans*, on mango, malformation and GUS transformants, 456
Futagawa, M., S94

Gabriel, D. W., S33
Gadoury, D. M., S6, S23, S25, S70
Gaeumannomyces graminis
—osmotic potential, S23
—on wheat: epidemic dynamics, 84; seed treatment, fungicide efficacy, model, 954
Gagné, P., S26
Gal-On, A., S79
Garbelotto, M., 546
Garibaldi, A., 1169
Garling, D. C., S26
Garnsey, S. M., 336, 603, S33, S83
Garrett, K. A., 984, S26
Garrido-Ramirez, E. R., S71
Gaskins, V., S26, S99
Gaspar, J. O., S27
Gaudet, D. A., S44
Gay, P. A., S61
Gene-for-gene system, coevolution, human perturbations, properties, 811
Geranium, virus isolate Gr 57, genome organization, S40
Gergerich, R. C., S21, S48
Gerhardt, S. A., S27, S41
Gerlagh, M., 141
Gessler, C., 748
Getz, R. R., S32
Gibberella spp.
—*G. fujikuroi*, mating population H, *MAT-1* and *MAT-2* isolates, S75
—*G. zeae*: ascospore discharge, S3; biocontrol, S39; sexual recombination, 182; on wheat, modeling of disease foci, 74; on wheat and corn debris, perithecial development, S10
Gibson, G. J., 603
Gigaspora sp., light effect, ecology, S21
—*G. gigantea*, hyphal branching, ultraviolet light effect, S55
Gilbert, J., 840
Gilbert, M., S27
Gilbertson, R. L., S7, S61, S68, S71
Gildow, F. E., 374
Gilijamse, E., S27
Gill, B. S., 293
Gill, J. J., S27
Gillaspie, A. G., Jr., S94
Gillett, J. M., S69
Gilligan, C. A., 30, 84
Gillis, B., S31
Ginseng, *Cylindrocarpon destructans* and *Fusarium* spp., seed and root rots, S65
Gioria, R., S27
Gipson, R., S95
Giraud, T., 967
Gitaitis, R. D., S5, S11, S81, S96
Gleason, M. L., S7, S44, S59, S90
Glenn, A. E., S27
Globodera spp.
—*G. rostochiensis*, *G. pallida* compared to, on potato, infestation foci model, 583
—*G. tabacum*, on tobacco, nitrogen and fosthiazate effect, S37
Glomus spp., molecular tools for study, S25
Goates, B. J., S28
Godoy-Lutz, G., S91
Godshall, M. A., S30
Goeke, S. C., S48, S93
Goellner, M., S82
Goh, Y. K., S28
Goins, E. W., S29, S99
Gold, J., 840
Gold, R., S28, S40, S93
Gold, S. E., S22, S28
Goley, E. D., S47, S102
Golino, D. A., S66
Gomez, A. M., S28
Gomez, G., 884
Gómez, P. L., S3
Gooding, G. V., Jr., 352
Goodman, R. M., S66
Goodwin, P. H., S14
Goodwin, S. B., S28
Goossen-van de Geijn, H. M., 141
Gorbet, D. W., S94
Gordon, D. T., S65
Goregaoker, S. P., S18
Gosselin, C., S14
Gossen, B. D., S28, S35
Goth, R. W., S29, S99
Gotlieb, A. R., S47
Gotoechan, H., S29
Gottwald, T. R., 487, 603, S29
Goudriaan, J., 868
Grabowski, M. A., S29
Grace, P. R., S52
Gracia-Garza, J. A., S29
Graef, G. L., S104
Grafton, K., S64
Graham, J., S29
Graham, M. Y., S29
Graham, T. L., S29
Grajales, O., S3
Granatstein, D. M., S50
Grand, L. F., 612, S6
Granett, J., S47
Grape
—black rot, overwintered mummy effect, S23
—canopy density, disease effect, S83
—downy mildew: azoxystrobin effect, S85; predictive models, S50
—Eutypa dieback, genetic analysis of strains, 884
—foliar and fruit diseases, fungicides, S95
—gray mold, defense induction, 197
—*Phomopsis basicola*, susceptibility time, S24
—phylloxera, root damage in vineyards, California, S47
—Pierce's disease, vector reduction by management, S62
Grapevine fanleaf virus, analysis amplified by RT-PCR, S55
Grapevine rupestris stem pitting associated virus, isolate diversity, S66
Grasses, prairies in Iowa, health and productivity, prescribed burning effect, S106
Grau, C. R., S15, S60, S106, S107
Graves, W. R., S51
Gray, L. E., S15
Greathouse, T. E., 861
Grebus, M. E., 53
Green, J. F., S9
Green, R., 272
Gremmeniella abietina, North American and European populations, allelic differences, S44
Greyerbiehl, J. A., S29
Griffith, M., S34
Grimm, C., S28
Grisham, M. P., S29, S30
Groome, P. C., S100
Gross, J. A., S66
Gross, P. L., S107
Grossmann, K., S40
Groth, J. V., S2, S5
Groundnut (see also Peanut)
—rosette, status in Kenya, S83
—rosette disease agents, spatiotemporal separation, 934
Groundnut rosette virus, on peanut, factors, S55
Grove, G., S30
Grumet, R., S79, S83
Grünwald, N. J., S30
Grybauskas, A. P., S30, S100
Gu, Y.-H., S50
Guan, J., S30, S105
Guaragna, M. A., S40, S48
Gubler, W. D., S8, S31
Gudmestad, N. C., S68
Guenthner, B. J., S66
Guest, C. A., S107
Guevara, M. G., S31
Guevara-González, R. G., 540
Guikema, J. A., S107
Gullino, M. L., 1169
Gundersheim, N. A., S48
Guo, B. Z., S31

Gutierrez, H. E., S31
Gutierrez, W. A., S31
Guzmán, M., S85
Guzman, P., S71
Gwinn, K. D., S9, S84
Gyawali, C., S88
Gyenis, L., S31

Haber, S., S17, S31, S32, S61, S70
Hadidi, A., S71
Hagan, A. K., S32
Hagood, E. S., S101
Hall, M. R., S96
Hall, R., S54, S61, S83
Hall, W., S8
Halley, S., S106
Hamel, C., S25
Hamelin, R. C., 915, S12, S22, S44
Hamilton, S. L., S9
Hammer, T. H., S19
Hammerschmidt, R., 598, S29, S80, S86
Hammock, B. M., S82
Han, L., S32
Han, S. S., 928
Han, Y., S32
Handelsman, J., S66
Hanna, W. W., S85
Hansen, J. M., S32
Hanson, L. E., S32
Hanson, S. F., 480
Harakava, R., S33
Harder, D. E., 1214
Hardy, G., S17
Haring, M. A., 156, 1131
Harlton, C. H., S45
Harman, G. E., S86
Harper, K., 1015
Harrington, T. C., S90
Harris, L., S58
Harrison, J., S3
Hartman, C., S98
Hartman, G. L., 796
Hartung, J. S., S62
Hase, S., 1186
Hasegawa, H., S14
Hataya, T., 118
Hausbeck, M. K., S10, S43, S52, S65, S99, S100, S103
Haye, B., 197
Hayes, K., S63
Hayes, P. M., S15
Haynes, J. L., S60
Haynes, K. G., S46, S64
Hazanovsky, M., S78
He, C. Y., S33
Heath, M. C., S54
Hebbar, K. P., S33
Hein, G. L., 1182
Heist, E. P., S33, S94
Helicobasidium mompa, nucleotide sequence, detection, S58
Hemmes, D., S87
Henderson, D. M., S40
Hendson, M., 53, S46
Henkels, M. D., 1162
Henry, M. (Mexico), S33
Henry, M. J. (Calif.), 53
Henson, J. M., S23, S55
Herbicides, lactofen, soybean Sclerotinia stem rot suppressed by, 598
Herlaar, F., 156
Herlache, T. C., S33
Hess, D. E., S85
Hesterberg, D. L., S25
Heterobasidion annosum, on white fir, genetics in California, 546
Heterodera spp.
—*H. glycines*: esophageal gland secretory genes, method, S82; parasitism by fungus, 1193; soil texture and tillage relation, 844; on soybean, resistance deployment, S40; on soybean, tillage effect, 204
—*H. schachtii*: on cabbage, reproduction, S37; soil suppressiveness, survey, S84; on sugar beet, selection effect and variability, 68; on Swiss chard, soil suppressiveness, 434
—*H. trifolii*, populations, genetics and host specificity, S82
Hibi, T., S35
Hibiscus rosa-sinensis, witches' broom, in Brazil, S100
Hickey, K. D., S102
Hickman, Z., S34
Hidaka, S., S77
Hiebert, E., 701, S62, S83
Hiel, A. L., S85
Higgins, R. S., S107
Hilf, M. E., 336, S33
Hinckley, C. A., S85
Hindman, S., S86
Hinton, D. M., S27
Hirano, S. S., S34, S79
Hiruki, C., S82
Ho, G.-D., 673
Hobbs, H. A., S34
Hoffman, B., S34
Hofman, V., S106
Hogue, R., S44
Hoitink, H. A. J., S2, S42
Holbrook, C. C., S94
Holcomb, G. E., S94
Holcomb, M. A., S73
Holderness, M., 414
Hollmann, P. J., S34
Hollowell, J. E., S72
Holmes, G. J., 716
Holmstadt, J. J., S85
Holt, J., 934
Hong, C. X., S34
Hooker, D., S69
Hoover, R., S42
Hop stunt viroid, on citrus, cachexia and xyloporosis, 568
Hopkin, A., 915
Horita, M., S34
Horiuchi, S., S87
Horst, L. E., S42
Horst, R. K., 1126
Hou, Y. M., S71
Houghton, R. D., S63
Howard, R. J., S13, S22, S35, S82
Howell, C. R., S4, S32
Hoy, J. W., S8
Hsiang, T., S34, S54
Hu, J. S., S70
Huang, Z., S35
Huber, D. M., S107
Hudelson, B. D., S107
Hudyncia, J., S16
Huel, R., S56
Huet, H., 1022
Huettel, R. N., S52
Hughes, G., 487, 770, 1080, 1088, S52
Hughes, S. L., S67
Hughes, T. J., S106
Hulbert, S., S104
Humber, R. A., S52
Hunt, R. S., S35
Hussey, R. S., S82
Hwang, S. F., S13, S35, S82
Hyakumachi, M., 314
Hypersensitivity
—*Arabidopsis thaliana* to bacterial wilt, 673
—poplar to leaf rust, histology, 233

Ibanez, A. M., 851, S35, S59
Idris, A. M., 273, S91
Igarashi, S., S45
Iglesias, A., S35
Im, D. J., S40
Impatiens hawkeri, web blight, in New Guinea, S51
Ingels, C. A., S31
Inglis, D. A., S20
Inoue, H., S35
Ip, D. W., S48
Irelan, N. A., 884
Irey, M., 603
Irrigation
—moisture deficit stress, potato early dying, 782
—zoosporic fungi in systems, biological approaches controlled, S49
Irvine, J. E., S36
Isakeit, T., S35, S36
Ishiguro, K., S77
Ishimaru, C. A., S9, S44
Ismael, A. M., S23
Ito, A., 1186

Jabaji-Hare, S. H., S25, S81, S83
Jackson, E. L., 884
Jackson, L. E., 328
Jackson, T. A., S94
Jacobsen, B. J., S1, S17
Jaffee, B. A., 398, *712*
Jaime-Garcia, R., S36
Jakobek, J. L., S36
James, D., S36
James, R. V., S21, S75
Janisiewicz, W. J., S18, S36
Janse, S., S50
Jara, C., S47
Jarret, R. L., S15
Jaunet, T. X., 320
Jaworski, A. J., S88
Jeandet, P., 298
Jeffers, S. N., S82, S88
Jeger, M. J., S27
Jellison, J., S99
Jenkins, J. C., S36
Jenner, C. E., S67
Jenns, A. E., S22
Ji, C., S36
Jiang, G., S14
Jijakli, M. H., S37, S42
Jin, R., S37
Jin, X., S85
Jin, Y., S89
Johnson, A. W., S18
Johnson, B. J., S1
Johnson, C. S., S37
Johnson, D. A., S76
Johnson, K. B., 974, S75
Johnson, L. B., S84
Johnson, S. J., S63
Johnson, S. V., S51
Johnsongrass mosaic virus, attenuated virulence, host-induced mutation, S32
Johnston, H. W., S24
Johnston, S., S100
Jomantiene, R., S102
Jones, A. L., 100, S37, S50, S51, S70
Jones, D. C., S51
Jones, J. B., 328, 646, 1044, S3, S53, S89
Jones, J. K., S36
Jones, P., S37
Jones, R. K., S21
Joppa, L. R., S74
Jordan, R., S40, S48
Juba, J., S52
Judelson, H. S., 754
Jurkonie, D. D., S37
Juzwik, J., S37, S38

Kadooka, C. Y., S78
Kageyama, K., 314
Kaiser, W. (Wash.), S40
Kaiser, W. J. (Germany), S44

Kalvelyte, A., S102
Kamakura, T., S35
Kanematsu, S., S58, S77
Kang, S., S80
Kao, J., 707
Kaplan, I. B., S38
Kaplan, M., 68
Karanja, K., S99
Karasawa, A., 1186
Karasev, A. V., 336
Karsies, T., S38
Kasaai, M. R., S6, S38
Kassemeyer, H.-H., S70
Katan, J., 831
Katan, T., 623
Keel, C., S88
Keinath, A. P., S38, S42, S95
Kelemu, S., S38
Kelley, S. E., S38
Kemerait, R. C., Jr., S39
Kenerley, C. M., S4
Kenney, D. S., S39, S65
Kerber, E. R., 518
Kessel, G. J. T., 868
Khadhair, A.-H., S39
Khan, N. I., S39
Kharbanda, P. D., S43
Kilic, O., S105
Kim, D. H., 476
Kim, K. S., S21, S48, S93
Kim, M. K., S40
Kim, M.-S., S39
Kim, O. S., S40
Kim, S. H. (Canada), S34, S39
Kim, S. H. (Pa.), S39, S76
Kim, S. J., S76
Kim, Y. H., S40
Kimmins, F. M., 934, S55
Kinard, G. R., S40
Kindhart, J. D., S34
Kingston, G. A., S5
Kinkel, L. L., 131, S2
Kinloch, B. B., Jr., 192, 861
Kinscherf, T. G., S85
Kiraly, L., S16
Kirkpatrick, B. C., 962
Kirkpatrick, M. T., S95
Kirkpatrick, T. L., 613, S17, S94
Kistler, H. C., 407, 623, S32, S66
Kitajima, E. W., S27
Klein, J. D., S18
Klein-Gebbinck, H. W., S40
Kleinhofs, A., S15
Klittich, C. J. R., S40
Kloepper, J. W., S39, S40, S41, S49, S65, S67, S87, S89
Klopfenstein, N. B., S39
Kluepfel, D. A., S57
Knudsen, G. R., S4
Knudson, D. L., S9
Ko, W. H., S87
Kodama, M., 947
Koehle, H., S40
Koeller, W., S4
Koenning, S. R., S40
Köhl, J., 868
Kohmoto, K., 947
Koike, S. T., S8, S16, S40, S57
Koitabashi, M., S41
Koizumi, S., S3
Kokalis-Burelle, N., S41, S49, S66
Kolb, F. L., 343
Köller, W., S59
Kolmer, J. A., S41
Kolte, S. J., 1226
Kong, P., S67
Korkmaz, S., S33
Kormelink, R., 823
Kostansek, E. C., S63
Kosted, P. J., S27, S41
Kotan, R., S41
Kothera, R. T., S42
Koul, A., S58
Kousik, C. S., 1066, S42, S66
Kovacs, L. G., S32
Kramer, C. L., S24
Krause, C. R., S42
Kreuze, J. F., 462
Kristjansson, G., S44
Kroes, G. M. I. W., S64
Kronstad, J. W., S39
Kruger, W., S89
Kucharek, T. A., S39, S42, S62, S70
Kudrna, D., S15
Kuhajek, J. M., S96
Kukreja, K., S104
Kuldau, G., S102
Kummert, J., S42
Kuninaga, S., S11
Kuntze, L., 660
Kuramae-Izioka, E. E., S42
Kurtzweil, N. C., S60, S106, S107
Kushalappa, A. C., S4
Kusume, T., 1000
Kutcher, H. R., S42
Kuti, J. O., S31, S42, S55
Kuzyk, A., S56
Kwon, M.-O., 1144

Labbé, C., 728, S51
Labrosse, I., S43
Laccaria bicolor
—malate synthase, characterization, S5
—signal transduction gene, symbiosis regulated, S76
Lachner, J., S46
Laflamme, G., S44
Laliberte, J. F., S60, S76
Lamarque, C., 967
Lambalk, J. J. M., 156
Lambert, B., 197
Lambert, S., S33
LaMondia, J. A., S43
Lamour, K. H., S43
Lamppa, R. S., S107
Lamprecht, S., S43
Langan, K., S43
Lange, R. M., S43
Langham, M. A. C., S43
Langin, T., 1169
Langston, B. B., Jr., S81
Langston, D. B., Jr., S18
Lansdell, T. A., S44
Larkin, R. P., 1152, S26
Laroche, A., S44, S56
Larsen, R. C., S44
Latorre, B. A., S70
Laurans, F., 233
Laurer, U., 805
Lawrence, G. W., S51
Lawrey, J. D., S102
Lawrie, A. C., 392
Lax, A. R., 902
Leach, J., S4, S67, S104, S106, S107
Leal-Klevezas, D. S., S45
Leandro, L. F. S., S44
Leath, S., S3, S81
Leblanc, K., S44
Lebreton, L., 679
Leclerc-Potvin, C., S25, S83
Lecours, N., S44
Lee, B. C., S40
Lee, B. Y., 928
Lee, D. G., 928
Lee, F. N., S96
Lee, H. K., S44
Lee, I.-M., S60
Lee, K. W., S40
Lee, L., S45
Lee, M. (Ark.), S45
Lee, M. E. (Wis.), S60, S106
Lee, R. F., S13, S33
Lee, S. P., S34
Lee, S. W., 928
Lee, Y.-W., S1
Legard, D. E., S45, S52, S79, S86
Legendre, B. L., S29, S30
Legendre, L., 197
Legume, forage, luteoviruses of, characterization, 374
Lehman, J. S., S45, S83
Lei, L. P., S31
Leininger, T., S9
Lemanceau, P., 1073
Lemna pausicostata, apicidin phytotoxicity, S1
Lentil, root rot, seeding date and fungicide treatment, S35
Leonard, K. J., 131
Lepoivre, P., S37, S42
Leptosphaeria maculans
—in *Brassica* spp., resistance and linkage maps, S90
—on *Brassica napus*: isolate interaction, GUS reporter gene, S14; resistance, introgression, 1200
—on *Brassica napus-B. juncea* recombinant, pathogenicity, 169
Leroux, P., 967
Leroy, F., 380
Lesemann, D.-E., 148
Leslie, J. F., 182, S23, S60, S75
Letter to the editor, *Polymyxa betae* temporal buildup, model, 30
Lettuce
—bacterial leaf spot, biocontrol and nutrient effect, S77
—downy mildew, spatial analysis in California, S86
—*Pythium*, biocontrol with rhizosphere bacteria, S37
Lettuce infectious yellows virus
—defective RNAs, population, S67
—distribution and molecular variation, 707
Lettuce mosaic virus, coat protein gene, nucleotide sequencing, Brazil, S57
Leucostoma spp., on apple and stone fruit, in South Africa, S73
Leung, H. S104
Leverentz, B., S18, S36
Levesque, C. A., S45, S50
Levis, C., 967
Leviush, S., S78
Levy, M., S76
Leyva-Lopez, N. E., S45
Liang, H., S45
Lichens
—fungi of, phylogenetic analyses, S102
—fungi parasitic on, molecular data sets, S99
Liddell, C. M., S51
Limón, M. C., 254
Lin, Y., S61
Lindgren, P. B., S36
Lindgren, S., S14
Lindow, S. E., 353, S46
Line, R. F., 226, S15, S46
Lintott, L., S44
Liu, H.-Y., S57, S85
Liu, J. Q., S41
Liu, X. (Ariz.), S32
Liu, X.-Z. (China), S52
Liu, Y. (Mo.), S22
Liu, Y.-C. (N.Y.), 851, S46
Liu, Z., S46, S64
Livieratos, I. C., 1050
Livingston, W. H., S46
Llave, C., 1176
Lloyd, L., S106, S107
Loboda, A., S32

LoBuglio, K., 967
Locke, J. C., S8
Lockhart, B. E. L., S46
Lombaers-van der Plas, C. H., 868
Lommel, S. A., S25
Longer, D., S67
LoParco, D. P., S73
Loper, J. E., 1073, 1162, S75
Lopez, F., 1200
López, M. M., 286
López-Abella, D., 1176
López-López, M. J., 286
Lorbeer, J. W., S48, S73
Loschinkohl, C., S46
Lotrakul, P., S47
Lotter, D. W., S47
Louie, R., S65
Louws, F. J., 328, S1, S29
Lu, B. C., S48
Lübberstedt, T., 660
Lucas, J.-M., 679
Lucas, P., 954
Ludwig, J. W., S1
Lukaesko, L. A., S60
Luke, H. H., 1125
Lumsden, R. D., S33
Lundeen, P., S87, S107
Lundquist, J. E., S47
Lunsford, J. N., S5
Luo, Y., S47
Luster, D. G., 374, S8, S47
Lycopersicon pennellii, hypersensitivity, *Xanthomonas campestris*, S3
Lydiate, D. J., S67
Lynch, R. E., S31
Lyngkjaer, M., S89
Lysobacter antibioticus, root colonization, biocontrol, S66

Ma, L., S12
Ma, W. L., S22
MacGuidwin, A. E., S106
MacHardy, W. E., S47
Macrophomina phaseolina, isolate characterization, AFLP technique, S80
Madden, L. V., 421, 555, 770, 1088, S24, S42, S78
Magee, J. B., S95
Magnaporthe grisea, on rice
—gene characterization and sequence analysis, S15
—gene identification, *Leptosphaeria maculans* comparison, S105
—infection peg formation, S35
—in Mali, Africa, genetics, S20
—strobilurin-sensitive mutants, S4
Magome, H., 136
Mahendra, S., 1022
Mahuku, G. S., S47
Maier, T., S82
Maimon, M., 456
Maize chlorotic mottle virus, cell-to-cell movement, S69
Maize necrotic streak virus, sequence homology, S65
Maize streak virus, genotype reaction, 695
Malaguti, S., S18
Maletta, M., S100
Mallett, K. I., S48
Malus spp., resistance to several diseases, North Carolina, S3
Mancino, C. F., S78
Mandrell, R. E., S14
Manfio, G. P., S48
Mango, malformation
—cause in Egypt, S60
—*Fusarium subglutinans*, GUS transformants, 456
Manion, P. D., S66
Manjunath, K. L., S13
Manning, T., S100
Manske, B., S66
Manteau, S., 197
Manuscript preparation, author's guide, 7
Marasas, W. F. O., 1126, S9, S75
Marcell, L. M., S48
Marchetti, M. A., S70
Marcone, C., 805
Margosan, D. A., S74
Marie-Jeanne, V., S70
Marín, D. H., S85
Marinho, V. L. A., S42
Mark, G. L., S48
Maroofi, A., S48
Maroon, C. J. M., S48
Marques, L. L. R., S48
Martin, D. P., 695
Martin, E. M., S48, S93
Martin, F. N., S49, S72
Martin, R. R., 124, S43, S76
Martínez, B., 1176
Martinez, C., 247
Martinez-Ochoa, N., S49, S65
Martínez-Soriano, J. P., S45
Martinez V., O., S80
Martinson, C. A., S83, S105
Mascagni, H. J., S78
Mascher, F., S49
Masiunas, J. B., S34
Masuta, C., 118
Matheron, M. E., S7, S49
Mathis, W. L., S49
Mathre, D. E., S4
Matsuda, I., S76
Matsumoto, N., S58
Matsumoto, T., 47
Matthews, P. W., S49
Mavrodi, D., S35
Mavrodieva, V. A., S33
Maxson, K. L., S50
Maxwell, D. P., 262, 480, S68
Mayhew, D. E., S79
Maynard, C. A., S45
Mayo, M. A., 1015
Mayorga, M. E., S28
Mayton, H., S50
Mazzola, M., 920, S50
McAlpin, C. E., S50, S80
McBride, J. R., S62
McComb, J., S17
McCormick, S. P., S2, S39
McDonald, B. A., 639
McDonald, G. I., S39
McDonald, M. R., S50
McElreath, S., S74
McEvoy, J. L., S85
McFadden-Smith, W., S50, S83
McGarvey, J. A., 1233
McGawley, E. C., S8
McGee, J. D., S106, S107
McGhee, G. C., S51
McGinn, M. E., S51
McGovern, R. J., S91
McGrath, M. T., S51, S100
McKellar, M. E., S21
McLaughlin, R. J., 1162
McLean, K. S., S51
McManus, P. S., 1127, S10
McMillan, R. T., Jr., S51
McMullen, M., S106
McNally, D., S51
McPherson, R. A., S58
McPherson, R. M., S51
McRoberts, N., S52
Medina-Mora, C. M., S52, S100
Mei, R., S87
Meijer, E. M. J., 868
Meinhardt, S. W., 293
Melampsora larici-populina, on poplar
—cover photo, March
— hypersensitivity, 233
Melcher, U., S10, S95
Melchinger, A. E., 660
Meloidogyne spp., on potato, diagnosis with DNA probes, 380
—*M. hapla*: genetic diversity in New York, S54; reproduction in tissue culture, S54; on sudangrass, cyanide evolution, S84
—*M. incognita*: on cotton, temperature effect, histopathology, 613; on pepper, resistance, temperature effect, S77; on tomato, amendments, aromatics, and rhizobacteria effects, S49
—*M. javanica*, on tomato, resistance induced by amino-butyric acid, 1138
Melouk, H. A., 653, S52
Melton, T. A., S31
Menarium, H., 281
Menge, J. A., S75, S87
Meredith, F., S88
Meronuck, R., S24
Mertely, J. C., S45, S52
Mes, J. J., 156, 1131
Meteorology, moisture prediction, neural network, S16
Metz, J. A. J., 495
Metzler, M. C., S56
Meunier, P., 298
Meyer, S. L. F., S52
Mezzalama, M., S52
Michailides, T. J., S21, S34, S82
Michelotti, E. L., S85
Michener, P. M., S52
Michler, C. H., S89
Microsphaeropsis, on *Venturia inaequalis*, mycoparasite, factors, S6
Migheli, Q., 1169
Milgroom, M. G., S46
Miller, J. D., 1028, S17
Miller, S. A., S2, S16, S19, S41, S53
Miller, S. S., S102
Mills, D. (Oreg.), S53
Mills, D. J. (Md), S53
Milus, E. A., S53
Mims, C. W., S53
Minsavage, G. V., 1044, S3, S53
Mirocha, C. J., S55
Mitchell, D. J., S79
Mitchell, F., S10, S95
Mitchell, T. K., S53
Mitkowski, N. A., S54
Miyagawa, H., S55
Mocz, G., S86
Model
—citrus tristeza virus, vectors and spatial dynamics, stochastic, 603
—fungal expansion and morphological components, computer simulation, S63
—Gaussian, disease foci of wheat head blight, 74
—gene-for-gene host parasite, 811
—pandemics of focal plant disease, 495
—potato cyst nematodes, infestation foci, 583
—spatial, strawberry leaf blight analysis, 421
—spatial scale and dispersion, 770
—surface wetness prediction, 668
—take-all of wheat, fungicide efficacy, 954
Moënne-Loccoz, Y., S49
Moline, H. E., S54, S100
Momol, E. A., S54
Momol, M. T., S20, S54
Monilinia spp.
—*M. fructicola*: antagonists to, selection, S54; cutinase, characterization, S82; on peach, vegetative compatibility groups, S23; on stone fruit mummies, survival, S34
—*M. oxycocci*, on cranberry, flower infection, cultivar resistance, 1127
—*M. vaccinii-corymbosi*: on blueberry, epidemiology in Georgia, S69; on blueberry, hyphae in flowers and fruits, S45; on *Vaccinium*, resistance, S83

Montano, H. G., S100
Moorman, F. E., S78
Moos, J., S106
Morant, M., S26, S54, S99
Moravec, B., S50
Moreira, M. A., 281
Morgante, M., 748
Mori, M., 385
Moriones, E., 1038
Morishita, H., 118
Morris, C. E., S77, S84
Morrison, R. H., 1084
Mould, M. J. R., S54
Mount, M. S., S100
Moyer, J. W., 575
Mpofu, S. I., S54
Mullahey, J. J., S84
Mulrooney, R. P., S101
Mundt, C. C., 64, 984, S26
Munkvold, G. P., 884, S104
Muñoz, F., S38
Murakami, H., S54
Murillo, I., 737
Muriuki, J. G., S55
Murphy, J. F., S67
Murphy, J. P., S81
Mycosphaerella graminicola, on wheat, resistance genes, S28
Mycotoxin
—aflatoxin: biosynthesis in corn kernels, amylase gene, 908; in corn, host resistance, 113
—beauvericin, duckling bioassay, S80
—*Fusarium* in corn ears, species interaction, 1028
—plant compounds inhibitory to, S86
—in *Pyrenophora tritici-repentis*, necrosis induction, 293
Myers, A. L., S27
Myers, L. D., S19
Myers, O., S47
Myrholm, C. L., S48
Myrothecium verrucaria, weed pathogens, molecular fingerprinting, S47
Myrta, A., 991

Nagahashi, G., S21, S55
Nagata, N., S78
Nagata, R. T., S19
Nagata, T., 823
Nahkla, M. K., S68
Naidu, R. A., 934, S55, S83
Nakaho, K., S55
Nakajima, H., 947
Nakazawa-Nasu, Y., 1186
Nameth, S. T., S26, S68
Naraghi-Arani, P., S55
Nash, D., S55
Nashaat, N. I., 1226
Navas-Castillo, J., 1038
Nawar, H. F., S42, S55
Nectria spp.
—*N. coccinea*, in beech, evaluation technique, S81
—*N. galligena*, gene transfer system, S76
—*N. haematococca*, on pea, pathogenicity gene cluster, S32
Neefus, C. D., S47
Neerium oleander, leaf scorch, cause, 53
Neimark, H., 805
Nelson, B. D., S105
Nelson, E. B., S21, S37
Nelson, M. R., 761
Nelson, R., S104
Nelson, T., S8
Nematicides, dichloropropene, row fumigation in Florida, S65
Neomycin phosphotransferase, detection in plants, S7
Nesmith, W. C., S33, S94
Nester, S. E., S8
Neuman, M. F., S38
Neumann, M. J., S56
Neumann, P., S81
Newman, M. (Ga.), S15
Newman, M. A. (Tenn.), S75
Niblett, C. L., S13
Nicholson, R. L., 272
Nickell, C. D., 59
Nicol, R. W., 1028
Nicole, M., 1200
Nieva, L. P., 64
Nishiguchi, M., 385
Nishimura, M., 118
Nishimura, N., S56
Nissinen, R. M., S56
Nitao, J. K., S52
Nitzsche, P., S100
Noh, J. H., S40
Norberg, E., S62
Norelli, J. L., S56
Norman, D. J., 646, S56
Norton, R. A., S36
Novacky, A., 1124
Ntahimpera, N., 555
Nuez, F., S35
Nutter, F. W., Jr., S30, S44, S56, S59, S83, S101, S105, S106
Nykiforuk, C. L., S56
Nyrop, J. P., 1104

Oak, S. W., S57
Oak, wilt, nitidulid association, S38
Oat
—microsatellite markers, S58
—powdery mildew, rice and barley chitinase gene genetically engineered, S80
—stem rust, gene *Pg10* in resistance, 1214
Obermeier, C., S57, S85
Obituaries
—Carlyle Newton Clayton, 532
—Alvaro Santos Costa, 112
—Harry Ernest Duncan, 612
—Robert N. Goodman, 1124
—Teddy Theodore Hebert, 352
—Richard Malcolm Lister, 272
—Paul E. Nelson, 1126
—Harry Ernest Wheeler, 1125
Odontoglossum ringspot virus, detection using immuno-capillary zone electrophoresis, 522
Odvody, G. N., S35
O'Garro, L. W., S57
Ogata, D., S78
O'Gorman, D., S45
Ohr, H. D., S22
Ohtsu, Y., S58
Oidium sp., on poinsettia, temperature effect, S10
Oka, Y., 1138
Okada, I., 1186, S58
Okey, E. N., S57
Oku, T., S35
Olaya, G., S43, S64
Oliva, C. R., 840, S31
Oliveira, F. A., S57
Olivera, G., S72
Olsen, L., 851, S59
Olson, B. D., S101
Olson, S. M., S54
Olson, T. N., S39
O'Mara, J. K., S57
Omer, A. D., S47
Omer, M. A., S57
O'Neill, N. R., S3, S98, S99
Ong, C. A., 1022
Ong, K. L., S57
Onion
—*Aspergillus niger* and *Fusarium* sp. in seedlings, systemic, S73
—bacterial diseases, previous crop effect, S48
—shallot yellow stripe virus and Welsh onion yellow stripe virus, relation, 148
Onion yellow dwarf virus, type strains and virus relations, 148
Ophiosphaerella spp., new species on grass, S99
Ophiostoma complex, *Ceratocystis* and *Leptographium* comparison, S9
Ophiostoma spp.
—*O. floccosum*, serine proteinase production, cloning, S34
—*O. piceae*: genetics, in Canada, S26; transcribed spacers in, Canada, S39
—*O. piliferum*, on lodgepole pine logs, pigmented fungi spread prevention, S79
Oplinger, E. S., S106
Orchid, *Rhizoctonia solani*, mycorrhizal isolates, new anastomosis group, 942
Orellana, N., 286
Orobanche crenata, faba bean root extracts, germination effect, S31
Orum, T. V., 761
Osaki, H., S58
Osborne, L. E., S106
Osler, R., 894
Ospina-Giraldo, M. D., 308, S17
Ostrow, K. M., 273
Ostry, M. E., S31
Otani, H., 947
Otrosina, W. J., 546, S96
Oudemans, P. V., 218, S45, S83
Ouellet, T., 1028, S58
Overton, R., S96
Ozbek, A., S41

Paenibacillus sp., on cucumber, Fusarium wilt control, 92
Pair, S., S10, S95
Pal, N., S58
Pallás, V., 991
Palm, M. E., S99
Palmer, L. M., S48
Palukaitis, P., S38
Pan, S. Q., S58
Pan, Y.-B., S29, S30
Panaccione, D. G., S58
Panagrahi, S., S16, S106
Pandemic, focal plant disease model, 495
Panicum mosaic virus
—replicase-associated protein, S5
—satellite RNA, genetic diversity, S11
Panigrahi, S., 668
Pantoae agglomerans, herbicolin biosynthesis genes, plasposon mutagenesis, S44
Papaya ringspot virus, coat protein gene, diversity in Florida, S19
Paper mill sludge, raw and composted, root rot effect, S75
Pappu, H. R., S6, S15, S51, S58, S59, S83, S95
Pappu, S. S., S6, S59
Paquet, M., S59
Park, C. S., 92
Park, D.-S., S29
Park, J.-W., S62
Parker, D. M., S59
Parker, M., S59
Parkin, I. A., S67
Parks, R. L., S59
Parra, G. R., S77
Parsley
—powdery mildew, biocontrol, S41
—Septoria leaf blight, fungicides and disease prediction, S53
Parsnip, aster yellows phytoplasma, molecular characterization, S39
Parsons, C. E., S95
Pataky, J. K., S52
Patil, M. A., S60
Patil, S. S., S86
Paul, R. N., S1
Paulin, L., 462
Paulitz, T. C., 74, S10

Paulsen, A. Q., S106
Pavoine, M. T., 533
Paximadis, M., 303
Paxson, L. K., S47
Pea, Aphanomyces root rot, *Pseudomonas corrugata* suppression, S65
Pea enation mosaic virus, wild-type and mutant RNAs, S73
Pea streak virus, satellite RNA, characterization, S44
Peach
—bacterial spot, Actigard evaluation, S11
—canker, *Leucostoma*, in South Africa, S74
—replant disorder, methyl iodide fumigation, S22
Peach mosaic virus, RT-PCR detection, S36
Peanut (see also Groundnut)
—azoxystrobin uptake and redistribution, S5
—early leaf spot, corn intercropping effect, S80
—leaf spot, temperature and wetness effect, 653
—leaf spot and stem rot, Dopple radar precipitation estimates, S32
—pod rot, fungicides, North Carolina, S72
—soilborne pathogens, variety effect, S39
—stripe and mottle virus infection, seed lot testing, S94
—tomato spotted wilt virus, resistance, S95
—trypsin inhibitor gene, sequencing, S61
Peanut stripe virus, antigenic diversity, S6
Pear
—brown spot, host-specific toxins, 947
—fire blight: antagonistic mixtures for control, criteria, S75; nectar effect on microbial antagonists, 39; prohexadione-Ca effect, S18
—scab, fall chemical applications, S31
—stigma and hypanthium colonization, by bacteria, 1162
Pecan, scab
—fungicide program, S93
—leaf wetness period, S57
Pecina Q., V., S80
Pedersen, W. L., 796
Pederson, J., S106
Peever, T. L., 851, S59
Penaloza-Vazquez, A., S25
Peng, G., S59
Penicillium spp., fungicide sensitivity, postharvest, 716
Pennings, G. G. H., S86
Pennisetum glaucum, rust
—multiline population approach, S96
—resistance complexity through host intermating, 450
Pennypacker, B. W., 618, S59, S101
Pepper
—bacterial spot: biocontrol, S19; multiphasic analysis of strains in Caribbean and Central America, 328; mutation and aggressiveness, S42
—benzothiadiazole, control, yield, S66
—soilborne pathogens, soil treatments, S66
Pepper huasteco virus, on tobacco
—coat protein mutants, 540
—tomato, and pepper, synergism, S71
Percich, J. A., S24
Percifield, R. J., S106
Pereyra, S. A., S60
Perez, N. A. R., S42
Peronospora tabacina, on tobacco, gnotobiotic association, S33, S94
Peters, R. D., S60, S107
Petersen, M. A., S62
Petit-Paly, G., S27
Pettway, R. E., 623, S11, S66
Petunia, mosaic and other viruses, in Ohio, S68
Pfender, W. F., S60
Phaeocryptopus gaeumannii, on Douglas-fir, fungicide effect, S14
Phaeoisariopsis griseola, on bean, molecular diversity in Central America, S47
Phaseolus spp., bean golden mosaic virus, isolate variability in Brazil, 262
—*P. vulgaris*: anthracnose, resistant gene Co-6, 281; mosaic and rust resistance, S102; rhizobium, strain compatibility, S77; root rot, cultural practices in management, S1; suppression by soil aluminum, 47; white mold, resistance sources, S64
Phialophora spp., variants, osmotic potential, S23
—*P. gregata*: on soybean, cyst nematode relation, S106; on soybean, resistance using reciprocal grafting, 59; subspecies populations, molecular marker, S15
Philion, V., S11, S13, S20
Philip, E., S54, S99
Phoenix canariensis, Fusarium wilt, diagnosis, 407
Phomopsis spp.
—*P. amaranthicola*, on *Amaranthus* spp., biocontrol, S86
—*P. longicolla*, on soybean, molecular detection in seed, 796
—*P. obscurans*, on strawberry, spatial pattern analysis, 421
Phyllosphere, bacterial colonization, review, 353
Phytophthora spp.: on Fraser fir, in North Carolina, S6; on oil palm, DNA polymorphism, S3
—*P. capsici*: on cucurbits, populations in Michigan, S43; fungicides, Georgia, S18; mefenoxam insensitivity, in Georgia, S49; on pepper, acibenzolar-S-methyl effect, S49; on pepper, resistance factor, S87
—*P. cinnamomi*, survival, S17
—*P. fragariae*, on raspberry, *Streptomyces* interaction, biocontrol agent, S59
—*P. glovera*, on tobacco, molecular characterization, S72
—*P. infestans*: fungicide resistance, multiple loci, 754; herbarium specimens, S77; on nightshade, S19; pathogen inheritance, S50; pathotypes, Washington, S20; on potato and tomato, aggressiveness and competitive fitness, in France, 679; sporangium survival, S76; sporangium survival, solar radiation, S36; on tubers, temperature effect, S68; zoospores in soil, fungicide effect on germination, S21
—*P. nicotianae*, disease control with botanical extracts, S8
—*P. parasitica*: aluminum chelation effect, S25; on citrus, biocontrol with *Pseudomonas putida*, S75; DNA extraction, PCR amplification, S59
—*P. sojae*: pathotypes, *Rps* gene combination, S104; races, distribution in Arkansas, S94; on soybean, soil texture and tillage relation, 844; on soybean, tillage effect, 204
Phytoplasma
—localization in host plants and insect vectors, hybridization probes, 894
—phylogenetic groups, chromosome size, 805
—protein analysis, gel electrophoresis, S76
—strain characterization, DNA heteroduplex mobility, S82
Picard, K., 506
Pichia anomala, on apple, monitor in postharvest storage, S37
Pico, B., S35
Pierce, M. L., S60
Piercey-Normore, M. D., S101
Pilate, G., 233
Pine
—fusiform rust, defense mechanisms, S82
—jack and red, Armillaria root disease, stump removal, S48
—longleaf, root burns, cellular pathology, S96
—seedling root and shoot growth, bacterial amendments, S24
Pineapple, mealybug wilt, mealybug and virus association, S70
Pinkas, Y., 456
Pinnow, D. L., S94
Pintor-Toro, J. A., 254
Pinus spp.
—*P. lambertiana*, blister rust, virulence inheritance, 192
—*P. monticola*: blister rust, field resistance, S35; white pine blister rust, resistance major gene, 861
—*P. strobus*: blister rust, resistance, S89; rust, genetic structure of, in Canada, 915
Piquer, J., 286
Pirio, N., 298
Pirone, T. P., 564, 1125
Pittman, R. N., S94
Plante, D., S60, S76
Plasmodiophora brassicae
—on Chinese cabbage, inhibition by leafy daikon, S54
—on crucifers, spore surface disinfestation, 314
—detection with PCR polymers, soil and water, 392
—on turnip roots, cover photo, April
Pleiochaeta setosa, lupin, conidial germination, S17
Ploetz, R. C., S60
Plyler, T. R., 407
Podila, G. K., S5, S76
Podosphaera clandestina, cleistothecia, wind dispersal, S30
Poinsettia, powdery mildew, management, S99
Polston, J. E., 701, S91
Polymyxa betae, on sugar beet, temporal buildup model, letter to editor, 30
Pope, E. J., 942
Popenuck, T., 546
Poplar, *Agrobacterium*-mediated transformation, oxalic oxidate gene, S45
Poplawsky, A. R., S60, S61
Populus spp.
—leaf rust, hypersensitivity and histology, 233
—Septoria leaf spot and canker, biocontrol, S31
Porchas, M., S49
Porter, I. J., 392
Portmann, C. E., S39
Postharvest diseases, stone fruits, fludioxonil, S26
Postharvest pathology
—chitosan effect on pathogens, S38
—citrus green and blue mold, resistance to imazalil, 716
Potato
—bacterial ring rot, detection in core fluid, S53
—black scurf and common scab, chlorine disinfection, S24
—common pitted and netted scab, gene analysis, in Finland, 462
—common scab, thaxtomin effect, S1
—cyst nematode, infestation foci model, 583
—early blight, azoxystrobin for control, S75
—early dying, soil moisture and host resistance, 782
—fludioxonil for disease control, in Canada, S4
—Fusarium dry rot: biocontrol, S41; biocontrol with bacteria, S67
—*Glomus* and *Rhizoctonia* interaction, ultrastructure, S87
—late blight: data collection methods, prediction, S101; fungicide resistance, 754; integrated control and resistance, in Mexico, S30; isolates in France, 679; reaction classes in screening, S36; resistance gene, sequence analysis, S46; tuber resistance, S64
—new Carla virus, characteristics, S99
—paper mill sludge effect on disease, S75
—proteinase inhibitor, characteristics, 840
—root-knot nematodes, species diagnosis with DNA probes, 380
—sprouting, biocontrol by bacteria, S73
—tuber, aspartic protease, antifungal activity, S31
—tuber colonization by dry rot and sprout inhibiting bacteria, S69
—tuber treatment, chitosan and resistance, S29

—*Verticillium dahliae* and *Pratylenchus penetrans*, synergism, S57
Potato latent carlavirus, characteristics, S29
Potato leafroll virus, detection, phage display libraries, fusion proteins, 1015
Potato virus X, potato virus Y
—comparison, resistance, S43
—resistance in segregating populations, S12
Potato virus Y
—pepper isolate, transmission efficiency, mutations, 1176
—on potato and tobacco, in South Korea, S15
—on tobacco, resistance gene VA, 118
Powell, C. A., S61
Powell, J. F., S61
Powell, W. A., S45
Powelson, M. L., 782
Powers, K. S., S107
Powers, T. O., S107
Pozzer, L., 823
Pradhan, M., S61
Prakoso, B., S37
Price, J. F., S86
Price, L. D., S61
Prunus necrotic ringspot virus, molecular variability in isolates, 991
Prunus serotina, branch decay, cation nutrient dynamics, S18
Pryor, B. M., S61
Pseudomonas spp.: on pear stigmas and hypanthia, epiphytic colonization during bloom, 1162; rhizosphere competence, S63
—*P. fluorescens*: plow pan microcosms, biocontrol, S49; on wheat, population density and diacetylphloroglucinol, in rhizosphere, 470; in wheat rhizosphere, antibiotics, S63
—*P. putida*, flax wilt suppressed by, 1073
—*P. solanacearum*, on potato and tomato, chitosan effect, S19
—*P. syringae*: alginate production, regulation, S25; on bean phyllosphere, factors, S79; on *Brassica*, California, S16; ethylene production, *Ralstonia* comparison, 360; Gac regulon, genotype diversity, S85; leaf saprophyte, 353; putative repressor, purification, S86; on snap beans, gene differential effects, S34; on stone fruits, development factors, 962
Pseudozyma flocculosa, biocontrol fingerprinting, S12
Puccinia spp.
—*P. andropogonis*, on bluestem, environmental constraints, S5
—*P. graminis*: on oat, gene *Pg10* resistance source, 1214; on ryegrass and tall fescue, modeling infection conditions, S60; on wheat, resistance gene *Lr34*, nonsuppression of resistance, 518
—*P. recondita*, on wheat, survival in southern Great Plains, S24
—*P. striiformis*, on barley, resistant recessive genes, 226
—*P. substriata*, on pearl millet, resistance and host intermating, 450
—*P. triticina*, on wheat: international collections, S41; molecular polymorphism, S41; virulence pattern in Nebraska, S69
Puckhaber, L. S., S32
Pueppke, S. G., 1124
Pumpkin, disease management, resistance and fungicides, S25
Punja, Z. K., S59, S79
Punshon, C., S61
Purcell, A. H., 53, S62
Purcifull, D. E., S62, S83
Pusey, P. L., 39, S62
Pyrenopeziza brassicae, on oilseed rape, in UK, forecasting, S24
Pyrenophora spp.
—*P. teres*, on barley, molecular genetic marker identification, 176
—*P. tritici-repentis*, on wheat: interaction characterization, review, 444; necrosis-inducing toxin, genetic analysis, 293; PCR for detection, S5; races in U.S. Great Plains, S2
Pyricularia spp.
—*P. grisea*: on rice, *myb* genes, molecular cloning, S45; on ryegrass, US isolates, S80; on St. Augustinegrass, silicon effect, S19
—*P. oryzae*, on rice, leaf CO_2 exchange, 789
Pythium spp.: antagonists, isolation and characterization, S20; *Phytophthora* spp. comparison, molecular phylogeny and evolution, S45; suppressive soils, bacterial communities, molecular characterization, S21
—*P. aphanidermatum*: azoxystrobin sensitivity, S43; isolate aggressiveness, mefenoxam effect, S59
—*P. oligandrum*, mycoparasite, soilborne pathogen interaction, 506

Qi, M., S62, S87
Qin, X., S62
Qiu, W. P., 575, S62
Quail, A., S45
Quan, S., S63
Quinn, J. A., S63

Raaijmakers, J. M. (Wash.), 470, S35, S63
Raaijmakers, J. M. (Netherlands), S20, S27
Raccah, B., S79
Rademacher, W., S18, S63
Rademaker, J. L. W., 328
Raffel, S. J., S66
Ragozzino, A., 805
Raina, R., S28
Rajkovska, V., S64
Ralstonia solanacearum
—on *Arabidopsis thaliana*, resistance, hypersensitivity, 673
—ethylene production, *Pseudomonas* comparison, 360
—siderophore gene, search, S7
—on tomato: population dynamics, S34; race 1 in Taiwan, 320; resistance and spatial-temporal analysis, 1233; virulence factors, S55
Ramanjulu, V., S64
Ramos, P. L., 540
Ramundo, B. A., S16, S64
Rand, R. E., S75
Randles, J. W., 877
Rashid, K. Y., S64
Rasmussen, J. B., S64, S105
Rasmussen, S. L., 476
Rasmusson, D. C., S24
Raspberry bushy dwarf virus, sequence comparison of strains, S76
Rathwell, P. J., S95
Rauyaree, P., S64
Reanwarakorn, K., 568
Recorbet, G., 1073
Reddy, B. J. D., S65
Reddy, M. S., S24, S39, S65, S67, S87, S89
Redinbaugh, M. G., S65
Reeleder, R. D., S65
Reich, R. M., S47
Reid, K. K., S79
Reid, L. M., 1028
Reid, T. C., S65
Reilley, A. A., S9
Rekah, Y., 831
Renard, M., 169, 1200
Resende, R. de O., 823
Resendiz, R., S56
Resistance
—barley to covered smut, PCR detection, 212
—barley to stripe rust, recessive genes, 226
—bean to anthracnose, resistance gene, 281
—*Brassica juncea* to white rust, 1226
—*Brassica napus* to *Leptosphaeria maculans*, cytology and introgression, 1200
—corn to sugarcane mosaic virus, 660
—cranberry to *Monilinia oxycocci*, 1127
—oat to stem rust, gene *Pg10* usefulness, 1214
—oilseed rape to blackleg, 169
—pearl millet to rust, intermating, 450
—*Penicillium* spp. to imazalil, 716
—pepper to bacterial spot, major genes, 1066
—rice to bacterial blight, in Nepal, 687
—rice to rice tungro spherical virus, near immunity, 1022
—soybean to brown stem rot, reciprocal grafting, 59
—sweet potato to sweet potato feathery mottle virus, 385
—tomato to root-knot nematode, induction, 1138
—white pine to blister rust, major gene, 861
Rette, F. J., S63
Retzlaff, G., S40
Reviewers, acknowledgment of, 4
Rey, M. E. C., 303
Rey, P., 506
Reynoird, J.-P., S56
Reynoutria sachalinensis, bioprotectant, for ornamental plants, S81
Rezende, J. A. M., S27
Rhizoctonia spp.: binucleate, carboxin resistance gene transformation, S105; on *Euphorbia* and *Centaurea* spp., phylogenetic comparisons in USA and Eurasia, S55
—*R. leguminicola*, reclassification as an ascomycete, S51
—*R. solani*: anastomosis group 13, S11; anastomosis group 3, detection, S44; on bean, tolerance in Dominican Republic, S91; on *Echinacea angustifolia*, damping-off, S13; fatty acid profiles, in isolates AG-4 and AG-7, S5; inhibition by apple roots, 920; on orchid, mycorrhizal isolate of, anastomosis group, 942; on potato and tobacco, anastomosis group 3 subgroup, S12; on radish, fungicides, S16; on rice, azoxystrobin sensitivity, S64; on rice, populations in Côte d'Ivoire, 414; on tall fescue, irrigation and fungicide effect, S71
Rhizosphere, fatty acid methyl ester analysis in, S57
Rhodosporidium toruloides, on barley, leaf adhesion, S10
Rhynchosporium secalis
—on barley, seed assay, S44
—genetic structure, Australia, 639
Rice
—bacterial blight: CO_2 exchange, 789; genotypic and pathotypic diversity in Nepal, 687; primary disease gradients, 64; strain distribution in Korea, 928
—blast: gene identification, early infection, S64; genes and chemical treatments, S62; "lineage-inclusion" strategy in breeding, S76; resistance components, silicon, S70; resistance in mixtures, S3
—disease resistance, candidate gene mapping, S104
—false smut, in Arkansas, S96
—head blight and toxins, S1
—kernel smut, resistance, S96
—phospholipase D, gene cloning and characterization, S107
—sheath blight: fungicide in Arkansas, S95; population characterization in Côte d'Ivoire, 414
Rice tungro spherical virus, replicase-mediated resistance strategy, 1022
Rich, J. R., S54
Richardson, E. A., S53
Richardson, M. D., S77
Rideau, M., S27
Ried, C. L., S33
Riedel, R. M., 840
Riegel, C., S65
Riggs, R. D., 1193, S77, S82
Riley, T., S29

Rimelspach, J. R., S26
Rimelspach, J. W., S46
Rimmer, S. R., S90
Rinker, D., S61
Risius, M. L., 618, S59, S101
Ristaino, J. B., S10, S77
Ritchie, D. F., 532, 1066, S42, S53, S66
Rivera, A., S30
Rivera-Bustamante, R. F., 540
Rivera-C., J. M., S83
Robb, J., S74
Roberts, D., S26, S101
Roberts, P. D., S79, S84
Roberts, R. G., 1162
Roberts, S., 754
Robinson, D. J., 934, S55
Rodriguez, M. X., S38
Rodríguez-Kábana, R., S17, S39, S41, S49, S65
Roemmelt, S., S63
Rogers, S. O., S12
Romaine, C. P., 308
Romero, A. M., S66
Ronald, P. S., S66
Rondon, M. R., S66
Roossinck, M. J., S11
Rosa, V. E., Jr., S42
Rosato, Y. B., S48
Rose, M. S., S79
Rosell, R. C., 239
Rosewich, U. L., 623, S11, S66
Ross, W. J., S95, S96
Rossing, W. A. H., 789
Rosskopf, E. N., S41, S66
Rotem, Y., 631
Rothrock, C. S., 613, S53, S95
Roussel, S., 1200
Roux, C., 247
Rowe, R. C., S57
Rowhani, A., S55, S66, S89
Rowley, K. B., S86
Roy, R., S65
Royse, D. J., 308, S17
Rubin, B. D., S66
Rubio, L., 707, S67
Rubio, O., S30
Rudolph, K., 591
Rupe, J. C., S67, S93, S94, S95, S96
Rush, C. M., S45
Rusholme, R. L., S67
Russell, B. W., S53
Russin, J. S., 113, 902, S28, S31
Russin, S. J., S78
Russo, A. J., 374
Ryba-White, M., S67
Rybicki, E. P., 695
Ryder, E. J., S57
Ryu, C. M., S65, S67, S89

Sabaratnam, S., S67
Sabatini, E., S18
Sadfi Zouaoui, N., S67
Sahin, F., S19, S41
Saito, M., 1000
Sakthivel, N., S67
Salas, B., S68
Salati, R., S68
Salicylic acid
—plant defense response, S27
—resistance induced in tomato, 722
Salmonella enterica, on alfalfa sprout, interaction, S14
Salomon, R., S70
Samac, D. A., S107
Sams, C. E., S18, S93
Sanchez, J., S3
Sánchez-Campos, S., 1038
Sanchez-Cuevas, M. C., S68
Sanders, F. H., S81, S96
Sanderson, P. G., S68
Sandlin, C., S91
Sanogo, S., S68, S107
San Segundo, B., 737
Saparno, A., S58
Satou, M., S87
Saunders, S. R., 53, S62
Savage, A. K., S85
Savard, M., 1028
Savelle, A. T., S69
Sawchyn, K., S8
Sayler, R. J., 962
Sayre, K. D., S52
Scatella stagnalis, vector for *Thielaviopsis basicola*, on corn-salad, 476
Schaad, N. W., S8, S68
Schaafsma, A. W., 1028, S69
Schardl, C. L., S33, S58, S94
Schaupmeyer, C., S4
Scheets, K., S69
Schell, M. A., 1233
Scherm, H., S23, S69
Schilder, A. M. C., S69
Schiller, A., S107
Schimelfenig, J., S69
Schisler, D. A., S39, S69, S73
Schlarbaum, S., S74
Schlueter, K. O., S57
Schmitthenner, A. F., S93
Schnabel, E. L., 100, S70
Schnabel, G., 100, S70
Schneider, M., 328
Schneider, R. W., S11
Schneider, S., S70
Schoelz, J. E., S16, S71
Schoeny, A., 954
Scholthof, H. B., S20, S62
Scholthof, K.-B. G., S5, S11, S45
Schomaker, C. H., 583
Schulthess, F., S70
Schulze, D. G., S107
Sclerotinia spp., ribosomal DNA restriction site variation, S107
—*S. homoeocarpa*, on turf, taxonomic clarification, S61
—*S. minor*, on peanut, infection cushions, resistance, S52
—*S. sclerotiorum*: on bean, calcium effect, S107; on bean and cabbage, cutinase, S59; biocontrol with *Coniothyrium minitans*, 141; on canola, fungicides, S42; on carrot, postharvest effect, S29; on soybean, cultivar response, environmental sensitivity, 618; on soybean, resistance and pigment relation, S87; on soybean, suppression by lactofen herbicide, 598
Sclerotium rolfsii, sclerotium production, on paper, S11
Scott, D. B., S58
Scott, E., S70
Scott, R. A., S43
Seaman, W. L., 74
Sears, J. L., S57, S85
Sechler, A., S68
Secor, G. A., S68
Seebold, K. W., S70
Seem, R. C., S6, S23, S25, S70
Seemüller, E., 805
Seguin-Swartz, G., S14
Segura, J., S33
Seifers, D., S32, S70
Semancik, J. S., 568
Semer, C., S42
Septoria spp.
—*S. musiva*, on *Populus*, resistance screening, S74
—*S. tritici*, on wheat, cytology, S22
Sether, D. M., S70
Settle, D. M., S71
Sewall, T., S53
Sforza, P. M., S101
Shababi, M., S71
Shabana, Y. M., S71
Shackel, K. A., 962
Shah, D. A., S71
Shallot yellow stripe virus, on onion, characterization, 148
Shamloul, A. M., S71
Shamoun, S. F., S34, S71
Shaner, G., 272, 343
Sharp, L. P., S71
Sharpe, A. G., S67
Shaw, L. N., S65
Shaw, R. S., S102
She, Y., S32, S70
Shearer, B., S17
Shelby, R. A., S41, S66
Shelton, J., S57
Shelton, K. L., S95
Shen, Y., S86
Sherwood, J. E., 212, S27, S41
Sherwood, J. L., S19
Shetty, K. G., S72
Shew, B., S72, S80
Shew, H. D., S12, S25, S72
Shier, W. T., S1
Shim, W. B., S72
Shin, Y. C., 92
Shinners, T. C., S72
Shishido, Y., S54
Shishkoff, N., S102
Shokes, F. M., S94
Sholberg, P. L., S72
Shortle, W., S99
Shtienberg, D., 831
Sikaroodi, M., S102
Silveira, K. G., S107
Sim, J., S72, S73
Simmons, J. A., S54
Simone, G. W., 407, S62
Simons, S. A., 414
Sims, A. L., S60
Sims, J. J., S22
Singh, P. (Japan), 947
Singh, P. P. (Korea), 92
Singh, U. S., 1226
Sinisterra, X. H., 701
Sipes, B., S37, S78
Sirois, K. L., S73
Sivamani, E., 1022
Sivan, S., S78
Skaf, J. S., S73
Skalbeck, T. C., S38
Slack, S. A., S12
Slaughter, G., 546
Slawecki, R. A., S88
Slininger, P. J., S39, S69, S73
Slippers, B., S73
Smart, C. D., S50
Smilanick, J. L., S8, S74
Smit, L., S74
Smit, W. A., S73, S74
Smith, B. J., S15, S95
Smith, D. R., S74, S90
Smith, H., S2
Smith, J. E., S12
Smith, K. P., S24
Smith, O. P., 374
Smith, V. L., S43
Smolik, J. D., S43
Snider, C. S., S34
Sniezko, R. A., 861
Soika, E., S78
Soika, M. D., S78
Soil, binding, basidiomycete, L-fucose determinants, S11
Solanum viarum, biocontrol with bacteria, S84
Solarization, tomato and pepper diseases, management, S41
Somda, I., 169
Somers, D. (Minn.), S80

Somers, D. J. (Canada), S90
Sonoda, S., 385
Soo, H. M., S58
Soong, J., 707
Sorensen, D., S74
Soria, C., 1038
Souza, N. L., S42
Soybean
—biocontrol agents in canopy, environmental factors, S106
—brown stem rot: nematode relation, tillage effect, 204; resistance using reciprocal grafting, 59; soil texture and tillage relation, 844
—cyst nematode: biocontrol agents, S77; chemosensory receptor gene, S87; corn, fallow, and cropping sequences, S56; fungal associations, antagonism, S52; in Ohio, 840; soil pH and population density, S106
—disease syndrome, *Fusarium* root colonization, S47
—*Fusarium solani* and *Heterodera glycines* interaction, cultivar resistance, S96
—glucan elicitor, trypsin inhibitor, S29
—green stem syndrome, in Midwest, S106
—Phomopsis seed decay, molecular detection, 796
—*Pythium ultimum*, soil flooding effect, S95
—root rot, chloride salt association, S93
—Sclerotinia stem rot: lactofen herbicide treatment, 598; regional prevalence, S85
—seed production, Arkansas, S67
—stem rot: resistance, SSR markers, S104; *Sporidesmium sclerotivorum* for biocontrol, S105
—sudden death syndrome: *Fusarium solani* in soil, S93; phosphate and potassium effect, S107
—sudden death syndrome and stem rot, lactofen treatment, S68
—top dieback, in Iowa, S107
—virus, outbreak in South Dakota, S43
—white mold, agronomic management, S59; cultivar response and environmental sensitivity, 618; row spacing in management, S101
Soybean dwarf virus
—strain genome comparison, S77
—virions, cover photo, May
Soybean mosaic virus
—cultivar resistance, ultrasound, S93
—Korean isolates, nucleotide sequence, S40
Soybean severe stunt virus, differential hybridization analysis, S98
Spaine, P., S74
Sparks, R. B., S105
Speakman, J. B., S63
Specht, J. E., S104
Spellman, M. R., S101
Sphaeropsis sapinea, on conifers, aggressiveness variation, S7
Sphaerotheca spp.
—*S. fuliginea*, on cucumber, ultrastructure, 728
—*S. fusca*, on cucumber cotyledons, cover photo, August
Spiegel, Y., 1138
Spiewak, S. L., S88
Spiraea spp., yellow leafspot, aphid-transmitted virus, S46
Spiroplasma citri, movement in vector, 1144
Spletzer, M. E., 722
Sporisorium reilianum, on corn, development in shoot apex, 247
Spruce
—winter injury, freezing cycles, S46
—wood decomposition, S99
Squash leaf curl virus
—bean calico mosaic virus affiliation, characterization, 273
—in whitefly vector, 239
Stachybotrys elegans
—mycoparasite on *Rhizoctonia solani*, acetylglucosaminidase, S81
—species-specific marker, S83
Stack, R. W., S32, S74
Stagonospora nodorum on wheat
—epidemic model, S3
—seed transmission, S71
Stall, R. E., 328, 646, 1044, S3, S53
Stammler, G., S63
Standing, K., S32, S70
Stanghellini, M. E., 476
Staniulis, J., S102
Stankiewicz, A., S74
Stanosz, G. R., S7, S74, S90
Stanosz, J. C., S74
Starmer, W. T., S12
St-Arnaud, M., S25, S81
Stavely, J. R., S102
Steadman, J. R., S91, S104, S107
Stebbins, T. S., S75
Steddom, K. C., S75
Steenkamp, E. T., S75
Steffens, P., 148
Steffenson, B. J., 176
Steimel, J. P., S90
Stemphylium spp.
—*S. botryosum*, on spinach, new in California, S40
—*S. vesicarium*: on pear, host-specific toxins, purification, 947; on tomato and pear leaves, cover photo, October
Stenger, D. C., 273, 1182
Stenlund, D. L., S37
Stenotrophomonas maltophilia
—leaf spot, biocontrol, 817
—leaf spot suppression in tall fescue, chitinase role, S108
—*Rhizoctonia solani* controlled by, chitin, S108
—on tall fescue, colonization spatial pattern, S105
Stephenson, M. G., S58
Stevenson, K. L., S57
Stevenson, W. R., S21, S75
Stewart, D. W., 1028
Stiles, C. M., 218
Stipanovic, R. D., S32
Stockwell, V. O., 1162, S75
Stone, A. G., S75
Stone, A. L., 374
St-Pierre, C. A., S17
St-Pierre, R. G., S66
Strawberry
—anthracnose, splash dispersal of conidia, 555
—black rot, *Rhizoctonia* and *Pythium*, S1
—Botrytis fruit rot: plant sanitation and yield, S52; row spacing and yield, S45
—*Botrytis* latent infection, monoclonal antibody assessment, S4
—crown rot, oversummer survival, in Florida, S79
—fruit, blossom, and foliar blights, California, S8
—fruit disease, epidemics in Florida, S86
—leaf blight, spatial pattern analysis, 421
—leaf blight and leaf spot, analysis of association, S78
—mycorrhizae, use in production, S29
—Phytophthora crown rot, resistance, screening, S9
—*Pythium* and *Rhizoctonia*, in California, S49
—Verticillium wilt, management by rotation, S72
Strawberry mild yellow edge virus, aphid transmission, S43
Streptomyces spp.
—on cucumber, Fusarium wilt control, 92
—on potato, phylogenetic gene analysis, 462
Strickler, P., S56
Striga hermonthica, *Pennisetum* infection, S85
Strobel, G. C., S1
Stromberg, E. L., S101
Stromberg, K. D., 131
Stummer, B., S70
Subbarao, K. V., 1218, S7, S72, S86
Subrahmanyam, P., 934, S55
Sugar beet
—Aphanomyces damping-off, oospore concentration, S104
—bean necrotic yellow vein virus, rhizomania, 1000
—Cercospora leaf spot, biocontrol, S17
—cyst nematode, selection effect and genetic variability, 68
—*Polymyxa betae*, model for buildup, letter to editor, 30
—virus yellows complex, severity and resistance, S85
Sugarcane
—nematodes, microplot in Louisiana, S8
—ratoon stunting: in Florida, S17; hot water treatment and resistance, S36
—yellow leaf syndrome: luteovirus association, S29; yield and juice quality, S30
Sugarcane mosaic virus, on corn, resistance, loci mapping, 660
Sugarcane striate mosaic virus, identification, partial characterization, 877
Sugar, D., 1162
Sullivan, T. A., S36
Sulzinski, M. A., S76
Summerell, B. A., S56
Sumner, D. R., S18
Sun, P., 811
Sun, X., S29
Sundaram, S., S76
Sunseri, M. A., S76
Suomalainen, S., 462
Sutton, D. K., S47
Sutton, T. B., 532, S3, S85
Sutula, C. L., S7, S86
Suzuki, H., S76
Svircev, A. M., S27
Swart, W. J., S8
Sweat, T. A., S107
Sweet potato chlorotic stunt virus, whitefly transmission, S73
Sweet potato feathery mottle virus, in transgenic plants, resistance and coat protein gene, 385
Sweet potato leaf curl virus, nucleotide sequence and phylogeny, S47
Sy, A. A., 414
Sycamore, dieback, in southeastern USA, S9
Symons, R. H., 894
Symposia: Sampling for decision making in crop loss assessment and pest management
—introduction, 1080
—plant disease incidence, 1088
—precision IPM, map as an objective, 1112
—seed health testing, 1084
—time and resource investment, 1104
Sztejnberg, A., 631

Tai, P. Y. P., S17
Takahashi, T., 47, 136
Tamada, T., 1000
Tamburic-Ilincic, L., S69
Tammen, J. F., 1126
Tampo, H., S76
Tanaka, M., S76
Tanguay, P., S76
Tapiero, A. L., S76
Tapsoda, H., 450
Tattar, T. A., S100
Taylor, N. J., 840
Taylor, S. M., S76
Teaching, tropical interdisciplinary course, S78
Teasdale, J. R., S53
Tedford, E., S43, S64
Tekauz, A., 840
Telford, E. B., S45
Tellez, M. R., S94
Tenzer, I., 748
Teplitski, M. I., S17
Terauchi, H., S77
Testerink, C. S., 1131
Teviotdale, B. L., S46

Tewari, J. P., S44, S72
Thielaviopsis basicola
—aluminum chelation effect, S25
—on cotton, temperature effect, histopathology, 613
—on *Valerianella locusta*, fly vectors, 476
Thies, J. A., S77
Thiesse, B., S96
Thomas, C. E., S38
Thomashow, L. S., S35, S63
Thompson, I. A., S107
Tian, H., S77
Tian, T., S67
Tietjen, W., S100
Tiffany, L. H., S105
Tillandsia recurvata, sodium bicarbonate for control, S94
Tilletia spp.: life cycle, fungal pheromone-related compounds and inhibitions, S41; on wheat, molecular markers, S44
—*T. indica*: teliospore survival, Montana, S4; on wheat, axenic culture, S8
Tilletiopsis spp., hydrolytic enymes and antibiotic production, S79
Timmer, L. W., 851, S35, S59
Timper, P., 1193
Tirilly, Y., 506
Tisserat, N. A., S71
Tobacco
—*Agrobacterium vitis*, hypersensitivity, S33
—blue mold: fungicide summary, S98; systemic resistance, PGPR testing, S89
—leaf curl, phytoreovirus, South Africa, 303
—pathogen-inducible *myb1* promoter, S87
—pepper huasteco virus on, coat protein mutants, 540
—potato virus Y: hypersensitivity, S25; resistance, 118
—*Pseudomonas syringae*, transformant effect on lesions, S2
—Pythium root rot, greenhouse transplants, S31
—spotted wilt, thrip distribution in Georgia, S51
—tomato mottle virus, modified coat protein, 701
Tobacco mosaic virus, replicase dissection, implications, S18
Todd, J. W., S6, S94, S95
Tomato
—bacterial diseases of, organic amendment and botanical aromatic effect, S49
—bacterial spot: biocontrol, S19; compost water extract effect, S2; multiphasic analysis of strains in Caribbean and Central America, 328
—bacterial wilt, race 1 in Taiwan, 320
—crown gall, biocontrol, dose response relation, 974
—early blight: anthracnose, and powdery mildew, azoxystrobin and chlorothalonil effect on, S100; rhizobacterial role, S87; salicylic acid induces resistance, 722
—enchytraeids and nematophagous fungi, in fields, 398, *712*
—foliar disease, management, S53
—Fusarium crown and root rot: distribution and time in space, 831; population genetics, 623
—Fusarium wilt, biocontrol by nonpathogenic species, dose response, 1152
—late blight, isolates in France, 679
—nematodes, amendment effect, S10
—powdery mildew: chlorothalonil effect, S51; greenhouse, growth chamber, and field comparison, S12; host range and resistance, S43
—*Pseudomonas syringae*, transformant effect on disease, S2
—*Ralstonia solanacearum*, resistance and spatial-temporal analysis, 1233
—*Ralstonia solanacearum* and *Meloidogyne arenaria* on, suppressive soils, S54
—rishitin accumulation, gray mold resistance, S14
—root-knot nematode: local and systemic resistance, induction, 1138; organic amendments and natural chemicals, control, S41
—root-knot and fungal pathogens, biocontrol tactics, S40
—soilborne microbes, soil amendment effects, S54
—soilborne pathogens, soil treatments, S66
—wilt, virulence and pathogenicity in mutant of *Fusarium*, 1131
Tomato bushy stunt virus
—on greenhouse-grown tomato, S85
—lettuce dieback association, in California, S57
—ribonucleoprotein complex, isolation, S20
—RNA, viral factors, S62
Tomato mosaic virus, detection in glacial ice, S12
Tomato mottle virus, on tobacco, coat protein transformation, 701
Tomato spotted wilt virus
—on *Anthurium*, bacterial blight symptom similarity, S78
—in peanut, resistance, S94
—on tobacco, Actigard and Admire effects, S58
—TSWV N gene-derived resistance, genome reassortment, 575
Tomato yellow leaf curl virus
—detection in Florida, S91
—displacement in epidemic in Spain, 1038
—molecular epidemiology, in Dominican Republic, S68
Toojinda, T., S15
Tooley, P. W., S102
Torbert, K., S80
Torrance, L., 1015
Torres-Jerez, I., 239, S91
Torzilli, A. P., S102
Tosun, N., S20
Toth, R. L., 1015
Toussaint, V., S77
Toussoun, T. A., 1126
Toxins, necrosis-inducing, *Pyrenophora tritici-repentis* on wheat, 444
Toxoptera spp., citrus tristeza virus vector, stochastic model, 603
—*T. citricida*: on citrus, cover photo, June; on citrus, vector for tristeza virus, 487
Trail, F., S3, S86
Traquair, J. A., S67
Tredway, L. P., S77
Trees, disease and growth rate relation, hardwood forest, S66
Tremblay, M., S10
Trese, A. T., S77
Treutter, D., S63
Trevors, J. T., S8
Trichoderma spp.
—*T. harzianum*: antifungal activity, transformants with chitinase, overexpression, 254; biocontrol strains, molecular analysis, 308; on mushroom, biotype for, S3; on mushroom, survival after heat treatments, S61; rice sheath blight control, bioassay, S86; transformation, biocontrol, S4
—*T. koningii*, antibiotic production, S32
—*T. stromaticum*, *Crinipellis perniciosa* controlled by, formulation, S33
—*T. virens*: on cotton, phytoalexin elicitation, S32; extracellular proteinase, gene encoding, S4
Trichosanthes dioptera, potexvirus from, properties, S62
Trifolium spp., phyllody and dwarf, phytoplasma association, Lithuania, S102
Trout Groves, C., S77
Tsror, L., S78
Tsuchiya, K., S34
Tsushima, S., S54
Tubajika, K. M., S78
Tuinstra, M. R., S64
Tuori, R. P., 444
Turechek, W. W., 421, S78
Turfgrass
—age effect on gray leaf spot of tall fescue, S78
—dollar spot, measurement methods, S26
—fungal diseases, compost soil amendment effect, S46
—snow mold, antifreeze activity, S34
Turina, M., S5
Turini, T. A., S46
Turkington, T. K., S44
Turnbull, G. D., S35, S82
Turnip mosaic virus
—genetics in *Brassica*, S67
—helper component protein, purification, 564
—infection inhibits host translation, S60
Tylka, G. L., 204, 844, S56

Uchida, J., S78
Uchida, R. S., S78
Uchino, H., 1000
Uddin, W., S78, S80
Ullah, Z., S79, S83
Ullrich, M. S., 360
Ulocladium atrum, biocontrol of *Botrytis*, 868
Uncinula necator
—on grape: host response, S25; perennation in Washington, S30
—isolate matings, S70
Undersander, D. J., S107
Upchurch, R. G., S79
Uphoff, M. D., S87
Upper, C. D., S34, S79
Upton, C., S36
Ureña-Padilla, A., S79
Urmeev, F. I., S28
Uromyces appendiculatus, on bean, African and American isolate comparison, S91
Urquhart, E. J., S79
Urs, R. R., S79, S84
Ustilago spp.
—*U. hordei*: on barley, PCR detection, 212; pheromone analogs, seed treatment, S27
—*U. maydis*: calcineurin effect on dimorphism and pathogenicity, S22; on corn, *ubc* genes, transduction pathway, S28
Uyemoto, J. K., S66
Uzunovic, A., S9, S26, S79

Vaillancourt, L., 1125, S13
Vakalounakis, D. J., 161
Valerianella locusta, root and stem rot, aerial transmission by shore flies, 476
Valkonen, J. P. T., 462
Valverde, R. A., S47, S72, S73
van Berkum, P., S99
van Bruggen, A. H. C., S86
Vance, P., S107
Vandemark, G. J., S80
van de Mortel, M., S80
van den Bosch, F., 495
Vander Kooi, K., S50
van der Merwe, P. J. A., S55
van der Vlugt, R. A. A., 148
van der Werf, W., 789, 868, 1104
van der Zwet, T., S102
VanEtten, H. D., S32
Vann, S. R., S96
van Zyl, L. M., S80
Vargas, J. M., Jr., S61
Vavrina, C. S., S41
Vazquez, A., S60
Vazquez, M. R., S9
Veilleux, L. M., S80
Velaquis, L., S86
Velasquez, L., S80
Venette, J. R., S107
Venturia inaequalis
—on apple: infection time, cultivar effect, S20; prediction using sampling technique, S47
—ascospores, concentration and lesion relation, S13
—fungicide resistant strains, molecular basis, S70
—on *Malus* spp., phylogeny and rDNA analysis, 100

—melanin pigment, characterization, S23
—population genetics, microsatellite markers, 748
Vereijken, P. F. G., 141
Vernon, P. R., S17
Verticillium dahliae
—on crucifers, isolate comparison, S7
—on eggplant: nitrogen effect, S26; poultry compost amended soil, S99
—host range specificity, 1218
—microorganisms antagonistic to, melanolytic activity, S72
—pathogens on nonhosts, S7
—in potato: populations in Ontario, S54; soil moisture and host resistance, 782
—on tomato, tolerance, S74
—vegetative compatibility groups, in Solanaceae, S78
Vesonder, R. F., S80
Vetten, H. J., 148
Vicedo, B., 286
Vicia faba, chocolate spot, screening technique, S55
Vidaver, A. K., S39
Vigna unguiculata, cucumber mosaic virus, virulence and amino acid change, 1186
Viji, G., S78, S80
Vincelli, P., S66
Viquez, O. M., S61
Viroid, detection, RT-PCR-probe capture hybridization, S71
Viruses
—begomoviruses, phylogenetically informative sequences, core coat protein sequence, S91
—luteovirus, on forage legumes, characterization, 374
—potyviruses, host range and coat protein, amino terminus role, S79
—RNA, dsRNA templates, cDNA cloning, S89
—tospoviruses, phylogeny, S6
Vivar, H., S15
Voegtlin, D. J., S34
Voelsing, K. J., S44
Voland, R. P., 1127
Völksch, B., 360
Vollmer, S. S., S60
von Amsberg, H., S81
Vorsa, N., S83
Vujanovic, V., S81

Wajahatullah, M. K., S81
Wakeman, R. J., S9
Walcott, R. R., S81, S96
Walk, T. E., S96
Walker, N. R., 613
Walker, S. G., S81
Walker, S. L., S81
Walkinshaw, C. H., S82, S96
Wall, G. C., S82
Walls, F. R., S98
Walsh, J. A., S67
Wang, B., S82
Wang, G. Y., S82
Wang, H., S82
Wang, J.(Calif.), 1022
Wang. J. (Ky.), S58
Wang, J.-F. (Taiwan), 320
Wang, K., S82
Wang, Q., S87
Wang, R. Y., 564
Wang, S., S82
Wang, T.-B., S4
Wang, X. (Kans.), S106
Wang, X. (Mich.), S83
Wang, X. (N.C.), S82
Wang, X. B. (Canada), S83
Wang, Y. (S.C.), S38
Wang, Y. L. (China), S86
Wangai, A. W., S83
Warokka, J. S., S37
Wasilwa, L. A., S83
Watermelon, gummy stem blight, fungicides, S95
Watkins, J. E., S69
Watrud, L. S., 782
Watts, J., S63
Wayadande, A. C., 1144
Wearing, L. P., S83
Webb, C. R., 30
Webb, D. R., 894
Webb, S. E., S62, S83
Weber, E. L., S47, S102
Webster, R. K., 176
Wedge, D. E., S94, S96
Weeden, N. F., S54
Wegulo, S. N., S56, S83
Weiland, J. J., 176
Weingart, H., 360
Weinzier, R. A., S34
Weisz, J. B., S66
Weisz, R., 1112
Welham, S. J., S24
Weller, D. M., 470, S22, S35, S63
Weller, J., 884
Wellman-Desbiens, É., S84
Welsh onion yellow stripe virus, on onion, strain of shallot yellow stripe virus, 148
Werner, N., S52, S103
Westphal, A., S84
Weststeijn, E. A., 156
Whalen, J., S101
Wheat
—bacterial leaf streak, severity and phyllosphere relation, 131
—disease management, new system, S46
—diseases of, *Pseudomonas fluorescens*, transformation of genes, S35
—durum, Fusarium head blight, chromosome substitution, S74
—dwarf bunt, resistance source, S28
—eyespot pathogens, detection methods, S5
—fungicides for, seeds and leaves, S10
—Fusarium head blight: deoxynivalenol, weather data predictions, S69; fungicide timing, S30; previous crop and tillage effects, S21; resistance in successive cycles, S32; spray nozzles and fungicides for control, S106
—*Fusarium* spp., nivalenol and deoxynivalenol production, S55
—head blight, modelling of disease foci, 74
—leaf spot complex, in Canada, 840
—leaf wetness, disease management, 668
—pathogen dispersal, aerial, combine harvest, S105
—powdery mildew, race-specific resistance, residual effect, 533
—*Pseudomonas fluorescens* in rhizosphere, population density and diacetylphloroglucinol, 470
—root rot, conservation tillage effect in Mexico, S52
—scab: Fusarium head blight resistance, molecular markers, 343; resistance screening, S81
—seed treatments and foliar fungicides, Maryland, S100
—stem rust: nonsuppression of resistance, gene *Lr34*, 518; resistance gene *Sr26*, tagging, S89
—stripe rust: planting density and genotype mixture, analysis, S26; two resistance genes, S56
—take-all: management in Arkansas, S53; microbial buffer in management, S21; seed treatment, fungicide efficacy, model, 954
—tan spot: characterization, review, 444; genetic analysis of toxin insensitivity, 293
—tan spot and Stagonospora blotch, infection period model, S20
Wheat streak mosaic virus
—eriophyid mite transmission, transcripts, 1182
—tolerance and resistance, S61
White, D. G., S52
White, F. F., S67, S84
White, J. F., Jr., S77
Wicklow, D. T., S36
Widmer, T. L., S1, S84
Widstrom, N. W., S31
Wieberg, A., S107
Wiersma, H. I., S84
Wijbrandi, J., 156
Wilcox, W. F., S6, S23, S84, S85
Williams, A. J., S84
Williamson, S. M., S3, S85
Williamson, V. M., 68
Williams-Woodward, J., S49
Willis, D. K., S34, S85
Willits, D. A., 212
Willment, J. A., 695
Wills, N., S84
Wilson, J. P., 450, S85, S96
Wilson, L. L., 555
Wilson, M. (Ala.) S11
Wilson, M. (Colo.), S89
Wilson, W. J., S63, S85
Winberg, R. M., S60
Windels, C. E., S8, S104
Wingfield, B. D., S73, S75
Wingfield, M. J., S2, S9, S73, S75, S80
Wintermantel, W. M., S85
Wisler, G. C., S57, S85
Wit, R., 1131
Wolf, T. M., S42
Woloshuk, C. P., 908, S25, S72
Wolyn, D., S33
Wong, F. P., S85
Wong, S.-M., 522, S38
Woods, D. L., S40
Workneh, F., 204, 844, S85
Wraith, S. J., S107
Wright, N. S., S29, S99
Wu, B. (Pa.), S80
Wu, B. M. (Calif.), S86
Wu, L., 653
Wu, W., S80
Wuest, P. J., S3, S12, S98
Wurms, K., 728, S51
Wyatt, J. E., S93
Wyatt, S. D., S44, S91
Wydra, K., 591
Wyss, G. S., S86

Xanthomonas spp.
—*X. axonopodis*, chromosomal gene transfer, conjugation, in pepper and tomato, 1044
—*X. campestris*: on anthurium, biocontrol, 366; on anthurium, temperature effect, 1007; on Araliaceae, strain heterogeneity, 646; on bell pepper, near-isogenic lines, major resistance genes, 1066; on carrot, copper sensitivity, S59; on cassava, semiselective medium for isolation, 591; on crucifers, pheromone and *pig* gene cluster, S61; on crucifers, suppression by cauliflower seed bacteria, S60; on English walnut, genetics, S46; leaf colonization, 353; on lettuce, transplant production, S84; pathovar differentiation, PCR, S76; pathovars, discrete, S39; on pepper, resistance and copper application, disease detection, S100; on pepper, resistance and PCR analysis, S57; on tomato and pepper, gene expression and colonization, S89; on tomato and pepper, multiphasic analysis in Caribbean and Central America, 328; on tomato and pepper, species differentiation, 16S-23S spacer and groEL genes, S48
—*X. oryzae*: on rice, avirulence genes, S4; on rice, genotypic and pathotypic diversity, 687; on rice, insertion elements, S67; on rice, phospholipase D distribution, S106; on rice, primary disease gradients, 64; on rice, strain distribution in Korea, 928; virulence and avirulence genes, gene-for-gene manner, S84
—*X. translucens*, on wheat, phyllosphere population, 131
Xia, J. Q., S7, S86
Xia, X., 660

Xiao, C. L., S45, S86
Xie, W., S1
Xu, H., S86
Xu, R., S86
Xu, T., S86
Xu, X. L., S87
Xylella fastidiosa
—on oleander: leaf scorch caused by, 53; symptoms, cover photo, January
—on orange: strains in Brazil, S62; transgenic resistance, S33
—rDNA sequences, S15

Yamasaki, S. H., 74
Yamauchi, N., S87
Yan, Y., S87
Yan, Z., S65, S87
Yang, B., S84
Yang, C. H. (Calif.), S87
Yang, C.-H. (China), 673
Yang, D. Q., S26
Yang, X. B., 204, 811, 844, S68, S85, S87, S105, S107
Yang, Y., S45, S62, S82, S87
Yao, M. K., S87
Yarden, O., 631
Yates, I. E., S88
Yeh, H.-H., S67
Yelle, S., S87
Yildiz, Z., S20
Ying, Z., S19
Yoder, K. S., S88
Yoshida, T., S34
Yoshikawa, N., 136
Young, C. A., S58
Young, D. H., S85, S88
Young, J. C., 1028
Yourman, L. F., S88
Ypema, H. L., S16, S28, S93
Yu, X., S88
Yuen, G. Y., 817, S105, S106, S108
Yuen, J. M. F., S56
Yun, C. H., S67

Zadoks, J. C., 495
Zala, M., S88
Zambino, P. J., S89
Zeller, K. A., S23
Zenbayashi, K., S3
Zeyen, R., S80, S89
Zhan, J., 639
Zhang, A. W., 796
Zhang, J. (S.D.), S89
Zhang, J. X. (Okla.), S89
Zhang, R., S46
Zhang, S., S65, S67, S89
Zhang, Y. (Fla.), S89
Zhang, Y.-P. (Calif.), S66, S89
Zhang, Z., 817, S108
Zhao, G., S34
Zhao, Y., S12
Zheng, J., S12
Zhong, B., S76
Zhou, S., S90
Zhou, X. G., S90, S97
Zhu, B., S90
Zhu, L., S58
Zhu, W., S84
Ziegenhorn, S. L., S2
Zijlstra, C., 380
Zitter, T., S10
Zriba, N., S90
Zucchini lethal chlorosis virus, new in Brazil, 823
Zucchini yellow mosaic virus, replicase, host protein, S83